


Liftrane Capacities 275 metric tons

Boom length (m)	15.25	18.30	21.35	24.40	27.45	30.50	33.55	36.60	39.65	42.70	45.75	48.80	51.85	54.90	57.95	60.95	64.00
Working radius (m)	4.3	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0	10.5	11.0	11.5	12.0	12.5
275.0	269.4	243.043															
244.3	242.4	216.052															
223.5	223.3	215.1	215.257														
205.8	205.6	205.3	204.9	189.061	162.063												
177.6	177.3	177.0	176.6	176.3	176.0	148.5	135.773										
159.8	158.7	158.4	155.1	154.8	154.5	132.8	130.5	120.8	121.581	108.983							
138.8	138.6	138.3	135.0	134.8	134.5	113.6	111.6	119.3	121.5	109.0	91.593	83.293					
120.0	120.3	120.3	120.2	120.1	120.1	97.8	95.4	92.5	90.4	86.5	82.5	78.5	74.5	70.3	68.9	67.5	65.4
100.0	101.9	102.0	101.7	101.5	101.5	81.5	79.9	76.6	77.9	76.1	74.7	73.2	71.6	70.3	68.9	67.5	65.4
80.0	81.9	82.0	81.9	81.7	81.5	61.5	60.3	58.4	57.0	55.4	54.2	52.4	51.5	50.4			
60.0	58.1	58.0	57.9	57.8	57.4	57.3	57.0	58.2	58.0	57.4	56.5	55.4	54.2	52.4	51.5	50.4	
40.0	39.8	39.7	39.7	39.7	39.7	39.7	39.7	39.7	39.7	39.7	39.7	39.7	39.7	39.7	39.7	39.7	39.7
20.0																	



Max. Lifting Capacity: 250 t x 4.6 m

Crane Boom Lifting Capacity

Unit: metric ton																
Counterweight: 97.1 t, Carbody weight: 20.0 t																
Boom length (m)	15.2	18.3	21.3	24.4	27.4	30.5	33.5	36.6	39.6	42.7	45.7	48.8				
Working radius (m)	4.6	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0	10.5	11.0	11.5	12.0
250.0	230.7	216.0	201.7	187.4	173.1	158.8	144.5	130.2	115.9	101.6	87.3	73.0	58.7	44.4	30.1	15.8
223.5	209.2	194.9	180.6	166.3	152.0	137.7	123.4	109.1	94.8	80.5	66.2	51.9	37.6	23.3	9.0	
205.8	191.7	177.4	163.1	148.8	134.5	120.2	105.9	91.6	77.3	63.0	48.7	34.4	20.1	5.8		
177.6	163.6	149.3	135.0	120.7	106.4	92.1	77.8	63.5	49.2	34.9	20.6	6.3				
159.8	145.8	131.5	117.2	102.9	88.6	74.3	60.0	45.7	31.4	17.1	3.8					
138.8	124.8	110.5	96.2	81.9	67.6	53.3	39.0	24.7	10.4							
120.0	106.8	92.5	78.2	63.9	49.6	35.3	21.0	6.7								
100.0	92.8	78.5	64.2	49.9	35.6	21.3	7.0									
80.0	78.8	64.5	50.2	35.9	21.6	7.3										
60.0	64.8	50.5	36.2	22.0	7.6											
40.0	50.8	36.5	22.3	7.9												
20.0	36.8	22.6	8.2													

STEP 1

CRAWLER CRANE 275 TON
BOOM 36.6 METER
R MAX 12 METER
CAPACITIES 94.6 TON
LOAD 94 MT/SIDE W/O DRIVE

R12000

R12000

LIFTING APRON FEEDER W/O DRIVE

CRAWLER CRANE 250 TON
BOOM 36.6 METER
R MAX 12 METER
CAPACITIES 89.5 TON
LOAD 73 MT/SIDE W/O DRIVE

