

Eurolifter



HANDLING EQUIPMENT

**Quality...
without compromise !**



**Belgian
Quality**



EUROLIFTER STACKER

- Effortless lifting at an economical price.
- This lift is designed to handle skids, pallets, tools and dies, position work, feed machinery, and other handling tasks.
- The unit is operated by hydraulic foot pump together with handle, making lifting effortless, also foot pedal or handle lowering valve.
- Hydraulic cylinder with chrome-plated ram, also master fitted with heavy-duty roller bearings, with flow control valve located at base of lift cylinder that regulates lowering speed for safety.
- Steer with swivel casters for ease maneuverability, safety screen, foot operated swivel caster parking brake.
- Optional Quick lifting.
- Standard wheel brake.
- Roller chain with over 5 times capacity yield



Manual Stacker

Reference number	Fork length (mm)	Width (mm)	Lifting Capacity (kg)	Lifting Height	Fork Wheels
8159866	1150	560	1000	1600	Tandem (Nylon)
10513637	1150	560	1000	2500	Tandem (Nylon)
10513639	1150	560	1500	1600	Tandem (Nylon)
10513640	1150	560	1500	2500	Tandem (Nylon)

Semi Electric Stacker

Reference number	Fork length (mm)	Width (mm)	Lifting Capacity (kg)	Lifting Height	Fork Wheels
9306872	1150	560	1000	3000	Tandem (Nylon)

Eurolifter Standard Model

- Heavy duty pump
- Reinforced steering bar
- Greasennipples on all vintage
- Operation manual & spare partslist
- CE-compliance wit machinery directive
- Nose wheels
- Maintenance free
- Spare parts deliverable
- Rubber, slipfree handgrip

Standard

Reference	Forks (mm)	Width (mm)	Capacity (kg)	Steering Wheel	Fork Wheels
8088834	1220	685	2500	PU / Nylon	Single, Tandem /PU, Nylon
8088841	1120	540	2500	PU / Nylon	Single, Tandem /PU, Nylon
8801309	1220	685	3000	PU / Nylon	Single, Tandem /PU, Nylon
8801311	1220	540	3000	PU / Nylon	Single, Tandem /PU, Nylon

Other fork length available on reques.



EUROLIFTER HAND PALLET TRUCKS



Eurolifter Low Profile

- Lowest height : 51 mm
- Max.lift height : 115 mm

Galvanized

With entry wheel

Eurolifter Galvanized



100% Stainless steel

Eurolifter 100% stainless steel

Designed for use in the chemical and food industries where water, moisture and salt are present. These stainless steel products are low maintenance and comply with safety and hygiene standards!

With entry wheel

Eurolifter Weighing Equipment

- Precision: 0,1%
- Batteries included
- IP 65 protection
- Gross, net, tare weighing



Low Profile

Reference number	Fork length (mm)	Width (mm)	Lifting Capacity (kg)	Steering Wheel	Fork Wheels
8750826	1150	540	1500	Nylon	Tandem /(Steel)

Galvanized & Stainless Steel

Reference number	Fork length (mm)	Width (mm)	Lifting Capacity (kg)	Steering Wheel	Fork Wheels
8439233	1150	540	2000	Nylon	Tandem /(Nylon)
9671889	1220	685	2000	Nylon	Tandem /(Nylon)

Weighing Truck

Reference number	Fork length (mm)	Width (mm)	Lifting Capacity (kg)	Steering Wheel	Fork Wheels
9309311	1150	555	2000	Polyurethane	Tandem /(PU)

Eurolifter stands for:



- Reliable quality: we carry out permanent quality assurance on the production process from design to finishing, meaning we offer a range of finished products with a 1-year guarantee. EUROLIFTER products comply with conformity requirements.



- Competitive prices: you buy directly which guarantees you the most competitive price for every EUROLIFTER product.



- Fast delivery: all current products are deliverable from stock.
- Spare parts: we offer after-sales service for all EUROLIFTER products with current spare parts deliverable from stock.
- Declaration of conformity. All machines conform in all respects to the requirements of the special Directive 89/392 EEC of 14th June 1989. 

Eurolifter Handling Equipment also stands for customised solutions. Our technical and commercial team is eager to help you choose the right product. Contact us for expert advice, for a **FREE** customized quote or to make an appointment for one of our representatives to visit you!

Quality... without compromise !

Your Local Dealer:

A large, semi-transparent image of a red Eurolifter pallet truck is overlaid on the background. Below the 'Your Local Dealer:' text is a large, empty rectangular box with an orange border, intended for a local dealer's name or contact information.