


# Parts Manual for



# **SNAPPER®**

## **LT12 & LT16 SERIES 2 LAWN TRACTORS**




## **& MOWER ATTACHMENTS**

Refer to Parts Manual #06614 for Lawn Tractor Accessory Parts.

**NOTE:** The Series number is the last numeral in the model number.

IT IS THE POLICY OF SNAPPER POWER EQUIPMENT TO IMPROVE ITS PRODUCTS WHENEVER IT IS POSSIBLE AND PRACTICAL TO DO SO. WE RESERVE THE RIGHT TO MAKE CHANGES OR ADD IMPROVEMENTS AT ANY TIME WITHOUT INCURRING ANY OBLIGATION TO MAKE SUCH CHANGES ON PRODUCTS MANUFACTURED PREVIOUSLY.

**SNAPPER** McDonough, GA., 30253 U.S.A.



**NOTE: LAWN TRACTOR ACCESSORIES  
ARE LISTED IN LT MANUAL No. 06614**


## INDEX- MAIN COMPONENTS

| ITEM | DESCRIPTION    | PAGE    |
|------|----------------|---------|
| 1    | HOOD           | 3       |
| 2    | FUEL SYSTEM    | 4       |
| 3    | ENGINE         | 8 & 9   |
| 4    | GRILLE         | 3       |
| 5    | HEAD LAMPS     | 3 & 20  |
| 6    | EXHAUST        | 8       |
| 7    | MULE DRIVE     | 30      |
| 8    | FRONT AXLE     | 14      |
| 9    | FRONT WHEELS   | 21      |
| 10   | BELTS, MOWER   | 24 & 26 |
| 11   | BATTERY        | 20      |
| 12   | MOWERS (33")   | 24 & 25 |
| 12   | MOWERS (41")   | 26 & 27 |
| 12   | MOWERS (48")   | 28 & 29 |
| 13   | INPLEMENT LIFT | 22      |

| ITEM | DESCRIPTION                    | PAGE       |
|------|--------------------------------|------------|
| 14   | STEP PLATES, PANELS            | 10 & 11    |
| 15   | REAR WHEELS                    | 21         |
| 16   | TRANSMISSION, AXLE             | 6,16,18,19 |
| 17   | REAR FENDER                    | 10         |
| 18   | CONTROLS (BRAKE/CLUTCH)        | 12 & 13    |
| 19   | SEAT                           | 10         |
| 20   | CENTER COVER                   | 8          |
| 21   | DASH PANEL                     | 5          |
| 22   | STEERING WHEEL                 | 14 & 15    |
| 23   | STEERING MECHANISM             | 14 & 15    |
| 24   | CHOKE AND<br>THROTTLE CONTROLS | 4 & 5      |
| 25   | CHASSIS, FRAME PARTS           | 8 & 9      |
| 26   | THATCHERIZER                   | 32 & 33    |
| 27   | DOZER (42")                    | 34 & 35    |
| 28   | REAR WEIGHT KIT                | 36         |

**LT SNOW THROWER PARTS SHOWN IN MANUAL No. 06614**


## HOOD, GRILLE, HEADLAMPS



| ITEM | PART NO. | DESCRIPTION                                     |
|------|----------|-------------------------------------------------|
| 1    | 3-5047   | HOOD, LT Series Tractor                         |
| 2    | 1-4814   | TRIM, Hood                                      |
| 3    | 1-6017   | DECAL, Snapper, LT 16, L.H. (Shown)             |
| —    | 1-6015   | DECAL, Snapper, LT 12, L.H.                     |
| 4    | 1-6016   | DECAL, Snapper, LT 16, R.H.                     |
| —    | 1-6014   | DECAL, Snapper, LT 12, R.H.                     |
| 5    | 1-4815   | GASKET, Grille                                  |
| 6    | 3-5103   | GRILLE (1987 & Later)                           |
| 7    | 3-8157   | BRACE, Grille, R.H.                             |
| 8    | 3-8158   | BRACE, Grille, L.H.                             |
| 9    | 1-8254   | LATCH, Hood Retaining (2)                       |
| 10   | 3-2444   | CLIP, Hood Retainer (2)                         |
| 11   | 1-2674   | CABLE, Hood Stop (2)                            |
| 12   | 1-5486   | HARNESS, Head Lamp Wiring (1987 & Later)        |
| 13   | 1-5487   | HARNESS, Head Lamp Ground Wiring (1987 & Later) |
| 14   | 1-8829   | HEAD LAMP (2) (1987 & Later)                    |
| 15   | 3-6117   | MESH, Grille                                    |
| 16   | 1-2652   | CLIP, Wiring Harness (2)                        |
| 17   | 1-2691   | CLIP (2)                                        |
| 18   | 3-2398   | HINGE, Hood (2)                                 |
| 19   | 1-7591   | CLIP, Head Lamp Mounting (2)                    |
| 20   | 3-3211   | BEZEL, Head Lamp Mount. (2)                     |

| ITEM | PART NO. | DESCRIPTION                                      |
|------|----------|--------------------------------------------------|
| 21   | 9-0596   | BOLT, 1/4-20 x 5/8" Hex Flange Lock, Grade 5 (4) |
| 22   | 9-0583   | NUT, 1/4-20 Hex Flange Lock (12)                 |
| 23   | 9-0803   | BOLT, 1/4-20 x 5/8" Flat Head Carriage (10)      |
| 24   | 9-0477   | NUT, 1/4-20 Hex Fl. Top Lock (6)                 |
| 25   | 1-5267   | DECAL, LT 12                                     |
| —    | 1-4816   | DECAL, LT 16                                     |
| 26   | 3-5049   | GRILLE (1986 & Earlier)                          |
| 27   | 1-2651   | GASKET, Head Lamp (2)                            |
| 28   | 1-8415   | HEAD LAMP (2) (1986 & Earlier)                   |
| 29   | 3-8083   | BRACKET, Head Lamp                               |
| 30   | 1-4874   | SPACER (2)                                       |
| 31   | 1-2650   | GASKET, Head Lamp to Bracket (2)                 |
| 32   | 1-9529   | HARNESS, Head Lamp Wiring (1986 & Earlier)       |
| 33   | 9-0867   | BOLT, 1/4-20 x Flat Head Carriage (2)            |
| —    | 3-3032   | REINFORCEMENT, Bezel (not shown)                 |


<https://truckmanuals.club.com/>  
**FUEL TANK, PEDESTAL, DASH & HOLD DOWNS**



## FUEL TANK, PEDESTAL, DASH & HOLD DOWNS


| ITEM | PART NO. | DESCRIPTION                                          |
|------|----------|------------------------------------------------------|
| 1    | 1-9958   | PANEL, Dash                                          |
| 2    | 4-9943   | PEDESTAL                                             |
| 3    | 3-8143   | BRACKET, Lower Dash                                  |
| 4    | 5-7334   | TANK, Fuel (Includes item 7)                         |
| 5    | 1-4363   | CAP, Fuel Tank Filler                                |
| 6    | 1-8624   | HOLD-DOWN, Fuel Tank                                 |
| 7    | 1-2912   | LINE, Fuel (12-1/2" Long)                            |
| 8    | 1-2222   | CLAMP, Fuel Line (2)                                 |
| 9    | 1-8254   | STRAP, Tank Hold Down                                |
| 10   | 9-0803   | BOLT, 1/4-20 x 5/8" Flat Head Carriage, Grade 2      |
| 11   | 9-0055   | WASHER, 1/4 SAE                                      |
| 12   | 9-0477   | NUT, 1/4-20 Hex Flange Lock, Grade 5                 |
| 13   | 1-8674   | CONTROL, Choke Cable (29")                           |
| 14   | 9-0361   | SCREW, 5/16-18 x 5/8" Hex Washer Self-Tap (10)       |
| 15   | 1-8675   | CONTROL, Throttle (27-3/4") (1987 & Earlier)         |
| --   | 1-5844   | CONTROL, Throttle (B&S Twin 2) (1988 & Later, 30.0") |
| 16   | 3-2444   | CLIP, Hood Retainer                                  |
| 17   | 3-2296   | HOLD-DOWN, Battery                                   |
| 18   | 1-4434   | CLAMP, Battery                                       |
| 19   | 9-0311   | WING-NUT, 1/4-20                                     |
| 20   | 9-0055   | WASHER, 1/4 Flat                                     |
| 21   | 9-0853   | SCREW, #10-24 x 1/2" Hex Washer Self-Tap             |
| --   | 6-0743   | KIT, Ammeter/Hourmeter                               |
| --   | 6-0767   | KIT, Ammeter                                         |
| --   | 1-5277   | HOUR METER                                           |
| --   | 5-1609   | KIT, Ammeter                                         |

# DRIVE DISC, REAR AXLE COMPONENTS



**DRIVE DISC, REAR AXLE COMPONENTS**

| ITEM | PART NO. | DESCRIPTION                                                               |
|------|----------|---------------------------------------------------------------------------|
| 1    | 5-9639   | PRIMARY CASE (See page 18 for parts breakdown)                            |
| 2    | 1-4396   | BUSHING, Primary Clutch                                                   |
| 3    | 1-8660   | BOOT, Left Side Oil seal                                                  |
| 4    | 1-1037   | CLAMP, Boot (4)                                                           |
| 5    | 1-8770   | BOOT, Right Side Oil Seal                                                 |
| 6    | 9-0613   | NUT, 3/8-16 Hex Flange Lock                                               |
| 7    | 1-0121   | WASHER, Shim (2)                                                          |
| 8    | 1-5264   | SPACER, 3.312" Long x .332" ID                                            |
| 9    | 4-0529   | HUB, Rear Wheel (2)                                                       |
| 10   | 1-1013   | BOLT, Tapered (2)                                                         |
| 11   | 1-1201   | NUT, 5/16-24 Hex Lock (2)                                                 |
| 12   | 1-4401   | LOCK-COLLAR (Includes item 13)                                            |
| 13   | 9-0201   | SETSCREW, 5/16-18 x 5/16" (2)                                             |
| 14   | 5-7328   | ASSEMBLY, Axle Support (includes item 15)                                 |
| 15   | 1-4400   | BEARING, Ball                                                             |
| 16   | 9-0361   | SCREW, 5/16-18 x 5/8" Hex Washer Self-Tap (18)                            |
| 17   | 5-9846   | ASSEMBLY, Transmission (See page 16-17 for parts breakdown)               |
| 18   | 2-1903   | COUPLING, Shift Lever                                                     |
| 19   | 9-0844   | ROLL-PIN, 3/16 x 3/4" (2)                                                 |
| 20   | 3-2308   | LEVER, HI-LO Shifter                                                      |
| 21   | 1-4501   | KNOB, Shifter Ball                                                        |
| 22   | 1-8584   | HUB, Flex Coupling (See page 8)                                           |
| 23   | 5-1418   | ASSEMBLY, Drive Disc (includes items 24 thru 26)                          |
| 24   | 1-8567   | DISC, Drive                                                               |
| 25   | 1-4514   | BEARING, Ball                                                             |
| 26   | 1-4447   | BUTTON, Center                                                            |
| 27   | 3-6155   | SUPPORT, Bearing (Latest version requires items 32 & 33)                  |
| 27a  | 3-6085   | SUPPORT, Bearing (Early version – narrower with rear bearing holder)      |
| 28   | 2-1943   | TUBE (Use with item 27, 4.07" Long x 1.78" ID)                            |
| 28a  | 2-1943   | TUBE, (Early version, 3.07" Long x 1.78" ID)                              |
| 29   | 3-2396   | RETAINER (Use with item 27)                                               |
| 30   | 9-0912   | SCREW, 5/16-18 x 4-1/4" Hex Head Cap (2)                                  |
| 30a  | 9-0553   | CAPSCREW, 5/16-18x3 Hex Head (2) (Early version)                          |
| 31   | 9-0184   | NUT, 5/16-18 Hex Center Lock Grade B or 5 (2)                             |
| 32   | 1-3313   | BEARING, Ball (2)                                                         |
| 33   | 2-1972   | SPINDLE, Drive Disc 6.04" Long (1.6" Machined Rear Length)                |
| 33a  | 2-1956   | SPINDLE, Drive Disc 6.04" Long (Early version, 2.6" Machined Rear Length) |
| 34   | 3-7776   | WASHER, Shim                                                              |
| 35   | 2-1955   | SPACER, .75" ID x 1" Long                                                 |




## FRAME, ENGINE & DRIVE PARTS

| ITEM | PART NO. | DESCRIPTION                                        |
|------|----------|----------------------------------------------------|
| 1    | 5-7425   | CHANNEL, Right Hand Frame                          |
| 2    | 3-8185   | PLATE, Rear Cover                                  |
| 3    | 5-7424   | CHANNEL, Left Hand Frame                           |
| 4    | 3-5029   | DRAWBAR                                            |
| 5    | 3-6078   | BRACE, Forward                                     |
| 6    | 3-6079   | BRACE, Rear Cross                                  |
| 7    | 3-8051   | CHANNEL, Front Axle Support                        |
| 8    | 5-9648   | PLATE, Front Frame                                 |
| 9    | 3-6067   | COVER, Console                                     |
| 10   | 1-6009   | DECAL, Console Cover                               |
| 11   | 5-7342   | BASE, Engine                                       |
| 12   | 5-7362   | ASSEMBLY, Mule Drive (See page 30 for breakdown)   |
| 13   | 1-4856   | GROMMET, Split                                     |
| 14   | 2-1960   | SPACER, Clutch                                     |
| 15   | 5-9637   | ASSEMBLY, Clutch Retainer                          |
| 16   | 4-0528   | BRACKET, Clutch Retainer                           |
| 17   | 5-3679   | KIT, Electric Clutch (See page 31 for breakdown)   |
| 18   | 1-9741   | MUFFLER, LT 12 & LT 16 Engine                      |
| 19   | 1-9742   | MUFFLER, LT 12 & LT 16 Engine                      |
| 20   | 1-4802   | GASKET, Exhaust (2)                                |
| 21   | 0-0050   | ENGINE, Briggs 16 HP Model 402437, 0696-01/1206-01 |
| -    | 1-7991   | ENGINE, Briggs 12 HP Model 404437, 0110-01/1205-01 |
| 22   | 1-4338   | DISC, Flex Coupling (2)                            |
| 23   | 1-8626   | HUB, Flex Coupling (2)                             |
| 24   | 2-1944   | SHAFT, Drive (22.62" x .75")                       |
| 25   | 9-0848   | SET-SCREW, 5/16-18 x 1/2" Square Head (4)          |
| 26   | 1-8584   | HUB, Flexible Coupling (Threaded center)           |
| 27   | 1-4803   | SPACER, Flexible Coupling (2)                      |
| 28   | 9-0138   | SCREW, 3/8-16 x 1", Hex Head Cap, Grade 2 (6)      |
| 29   | 3-2070   | WASHER, 3/8 Flat (8)                               |
| 30   | 9-0546   | NUT, 3/8-16 Hex Center Lock, Grade B or 5 (6)      |
| 31   | 9-0143   | SCREW, 3/8-16 x 1-1/4" Hex Head Cap, Grade 5 (2)   |
| 32   | 9-0118   | WASHER, 3/8 Split Lock (5)                         |
| 33   | 9-0603   | SCREW, 3/8-16 x 7/8", Hex Head Cap, Grade 5 (2)    |
| 34   | 9-0187   | WASHER, 5/16 Split Lock (4)                        |
| 35   | 9-0324   | SCREW, 3/8-16 x 1" Hex Washer Self-Tap (2)         |
| 36   | 9-0826   | SCREW, 1/2-20 x 4" Hex Head Cap, Grade 5           |
| 37   | 9-0196   | NUT, 5/16-18 Hex (2)                               |
| 38   | 1-4438   | HOOK, Hood Latch (2)                               |
| 39   | 9-0585   | NUT, 5/16-18 Hex Flange, Grade 5 (2)               |
| 40   | 9-0362   | SCREW, 1/4-20 x 5/8" Hex Washer Self-Tap           |
| 41   | 1-3847   | RETAINER, 3/8 Bolt                                 |
| 42   | 3-2298   | STOP, Axle (2)                                     |
| 43   | 1-3946   | RETAINER, 3/8 Shaft (4)                            |
| 44   | 9-0361   | SCREW, 5/16-18 x 5/8" Hex Washer Self-Tap (36)     |
| 45   | 9-0612   | BOLT, 3/8-16 x 3/4" Hex Flange Lock 6)             |
| 46   | 9-0613   | NUT, 3/8-16 Hex Flange Lock (4)                    |
| 47   | 9-0919   | PUSH-NUT, 1/2 (2)                                  |
| 48   | 9-0072   | SCREW, 1/4-20 x 5/8" Hex Head Cap (4)              |
| 49   | 9-0052   | WASHER, 1/4 Split Lock (4)                         |
| 50   | 1-2392   | PIN, 1/4 x 7/8" Clevis (2)                         |
| 51   | 9-0393   | NUT, 1/2-20 Hex Nyloc                              |
| 52   | 1-4804   | RELIEF, Strain                                     |
| 53   | 9-0523   | SCREW, 3/8-24 x 1-5/8" Hex Head Cap, Grade 5       |
| 54   | 9-0905   | WASHER, .406 I.D.                                  |
| 55   | 1-2431   | PIN, 1/4 Hair                                      |

**\*Purchase engine parts, other than those shown here from Briggs and Stratton Service outlet.**


**\*Engine Drain Plug requires a 1/4" allen wrench.**



## SEAT, STEP PANELS & REAR FENDER

| ITEM | PART NO. | DESCRIPTION                                           |
|------|----------|-------------------------------------------------------|
| 1    | 1-9964   | SEAT, Operator's                                      |
| 2    | 5-9841   | ASSEMBLY, Seat Suspension (Includes Items 26 thru 40) |
| 3    | 3-5071   | FENDER, Rear                                          |
| 4    | 3-8089   | DETENT, Shift                                         |
| 5    | 1-4506   | DECAL, Speed Shift                                    |
| 6    | 1-8593   | DECAL, SNAPPER                                        |
| 7    | 1-4505   | DECAL, HI-LOW RANGE (Shift)                           |
| 8    | 3-9932   | EXTENSION, Right Side Fender                          |
| 9    | 3-5016   | PANEL, Right Side Step                                |
| 10   | 1-8602   | TREAD, Right Side (Non-Skid)                          |
| 11   | 3-9931   | EXTENSION, Left Side Fender                           |
| 12   | 3-5015   | PANEL, Left Side Step                                 |
| 13   | 1-8603   | TREAD, Left Side (Non-Skid)                           |
| 14   | 1-4856   | GROMMET, Split                                        |
| 15   | 9-0208   | BOLT, 5/16-18 x 1" Square Neck Carriage (4)           |
| 16   | 1-1791   | RETAINER, 5/16 Bolt (4)                               |
| 17   | 1-3848   | WASHER, 5/16 (8)                                      |
| 18   | 9-0184   | NUT, 5/16-18 Hex Center Lock, Grade B or 5 (2)        |
| 19   | 1-4848   | WING-NUT, 5/16-18                                     |
| 20   | 9-0721   | BOLT, 5/16-18 x 1/2" Hex Flange Lock, Grade 5 (8)     |
| 21   | 9-0731   | BOLT, 5/16-18 x 1/2" Short Neck Carriage, Grade 5 (6) |
| 22   | 9-0585   | NUT, 5/16-18 Hex Flange Lock, Grade 5 (10)            |
| 23   | 9-0361   | SCREW, 5/16-18 x 5/8" Self-Tap (14)                   |
| 24   | 9-0005   | BOLT, 1/4-20 x 1/2" Short Neck Carriage, Grade 5 (4)  |
| 25   | 9-0583   | NUT, 1/4-20 Hex Flange Lock (4)                       |
| 26   | 4-9720   | WELDMENT, Seat Hinge                                  |
| 27   | 3-6119   | ANGLE, L.H. Mounting                                  |
| 28   | 3-6118   | ANGLE, R.H. Mounting                                  |
| 29   | 4-7838   | WELDMENT, Seat Hinge                                  |
| 30   | 1-4845   | SPRING, Seat (2)                                      |
| 31   | 1-4844   | ROD, Adjusting                                        |
| 32   | 3-2399   | RETAINER, Spring                                      |
| 33   | 2-1947   | PIN, Seat Tilt Hinge                                  |
| 34   | 2-1948   | PIN, Seat Tilt Hinge                                  |
| 35   | 1-4850   | WING-NUT, 1/2-13                                      |
| 36   | 1-3946   | PUSHNUT, 3/8 (4)                                      |
| 37   | 2-1946   | PLUNGER                                               |
| 38   | 1-4846   | SPRING, Compression                                   |
| 39   | 9-0037   | PIN, 3/32 x 3/4" Cotter                               |
| 40   | 9-0843   | GROOVED PIN, 3/16 x 1-3/4"                            |
| 41   | 3-8186   | COVER, Access                                         |
| 42   | 9-0858   | SCREW, 5/16-18 x 1/2" Hex Washer Self-Tap (2)         |
| 43   | 1-4921   | DECAL, Seat Adjustment                                |

# CLUTCH, BRAKE & TRANSMISSION CONTROLS




## CLUTCH, BRAKE & TRANSMISSION CONTROLS

| ITEM | PART NO. | DESCRIPTION                                    | ITEM | PART NO. | DESCRIPTION                                     |
|------|----------|------------------------------------------------|------|----------|-------------------------------------------------|
| 1    | 4-0494   | SHIFTER, Transmission                          | 38   | 9-0037   | PIN, 3/32 x 3/4" Cotter (2)                     |
| 2    | 1-4501   | KNOB, Shifter                                  | 39   | 1-3324   | FITTING, Lube                                   |
| 3    | 4-0486   | PIVOT, Shift                                   | 40   | 9-0361   | SCREW, 5/16-18 x 5/8" Hex<br>Flange Self-Tap    |
| 4    | 1-4442   | SPRING, Shift Detent                           | 41   | 9-0606   | BOLT, 5/16-18 x 5/8" Hex<br>Flange Lock         |
| 5    | 5-1610   | ARM, Shifter (Incl. Item 39)                   | 42   | 9-0188   | WASHER, 5/16 SAE                                |
| 6    | 1-4441   | LINK, Shift-Long (8.53")                       | 43   | 9-0187   | WASHER, 5/16 Split Lock                         |
| 7    | 3-2257   | ARM, Shift Adjusting                           | 44   | 1-4659   | SPRING                                          |
| 8    | 4-7828   | ARM, Shift                                     | 45   | 9-0223   | NUT, 5/16-24 Hex                                |
| 9    | 1-4337   | LINK, Shift-Short                              | 46   | 9-0595   | BOLT, 5/16-18 x 3/4" Hex<br>Flange Lock.        |
| 10   | 3-8046   | STRAP, Upper Cross                             | 47   | 9-0585   | NUT, 5/16-18 Hex Flange<br>Lock, Grade 5        |
| 11   | 3-8100   | STRAP, Brake Pivot Support                     | 48   | 9-0612   | BOLT, 3/8-16 x 3/4" Hex<br>Flange Lock          |
| 12   | 3-8084   | STRAP, Lower Cross                             | 49   | 9-0613   | NUT, 3/8-16 Hex Flange Lock                     |
| 13   | 1-4528   | SPRING, Reverse Assist (15 Coil)               | 50   | 9-0122   | WASHER, 3/8 SAE Flat                            |
| 14   | 3-2315   | RETAINER (PLATE), Clutch<br>Yoke Bushing       | 51   | 1-1968   | ROLLER, Shift Arm                               |
| 15   | 1-4396   | BUSHING, Clutch Ball                           | 52   | 1-0935   | WASHER, Shim (2)                                |
| 16   | 3-6077   | YOKE, Clutch                                   | 53   | 9-0356   | JAM-NUT, 5/8-18                                 |
| 17   | 1-4327   | BUSHING, Yoke Pivot-Short                      | 54   | 3-1036   | WASHER, Thrust                                  |
| 18   | 1-4328   | BUSHING, Yoke Pivot-Long                       | 55   | 9-0849   | SCREW, #10-24 x 1" Self-Tap                     |
| 19   | 1-2661   | PAD, Pedal                                     | 56   | 1-1016   | BEARING, Nylon (2)                              |
| 20   | 3-6086   | PEDAL, Clutch Brake                            | 57   | 9-0539   | SCREW, 1/4-20 x 1/2" Hex<br>Flange Self-Tap (5) |
| 21   | 1-4435   | BEARING, Sleeve (2)                            | 58   | 9-0506   | SCREW, 3/8-16 Hex Flange<br>Self-Tap            |
| 22   | 5-1483   | BRACKET, Pedal Pivot<br>(Includes two item 21) | 59   | 1-1780   | RING                                            |
| 23   | 1-8524   | SWITCH, Clutch Interlock                       | 60   | 9-0477   | NUT, 1/4-20 Small Flange<br>Lock                |
| 24   | 4-0514   | ARM, Clutch/Brake                              | 61   | 9-0390   | WASHER, 3/8 Internal<br>Tooth Lock              |
| 25   | 1-4752   | SPRING, Clutch/Brake                           | 62   | 9-0130   | NUT, 3/8-16 Hex, Grade 5                        |
| 26   | 1-7432   | CABLE, Clutch/Brake (36.0")                    | 63   | 9-0222   | NUT, 5/16-24 Hex Center<br>Lock                 |
| 27   | 3-8142   | LEVER, Parking Brake                           | 64   | 3-2433   | BRACKET, Mounting- Rear<br>Fender (2)           |
| 28   | 1-4754   | STUD, Parking Brake                            | 65   | 3-2446   | CLIP, Spring Attach                             |
| 29   | 1-4755   | SLEEVE, Parking Brake                          | 66   | 9-0661   | BOLT, 5/16-18 x 1" Hex<br>Flange Lock           |
| 30   | 3-2324   | LEVER, Brake Pivot                             | 67   | 1-5291   | CLIP, Spring Retainer                           |
| 31   | 3-2335   | SUPPORT, Brake Pivot                           |      |          |                                                 |
| 32   | 4-0542   | DRUM, Brake                                    |      |          |                                                 |
| 33   | 5-7340   | BAND, Brake                                    |      |          |                                                 |
| 34   | 1-4539   | PIN, 3/8 x 2-9/16" Clevis                      |      |          |                                                 |
| 35   | 1-4538   | PIN, 1/4 x 1-13/16" Clevis                     |      |          |                                                 |
| 36   | 1-0121   | PIN, 3/8 x 1-1/4" Clevis                       |      |          |                                                 |
| 37   | 1-3878   | ROLL-PIN, 3/16 x 1-1/4" (2)                    |      |          |                                                 |

# STEERING & FRONT AXLE PARTS

<https://truckmanualshub.com/>




## STEERING & FRONT AXLE PARTS



| ITEM | PART NO. | DESCRIPTION                                                     |
|------|----------|-----------------------------------------------------------------|
| 1    | 1-8589   | STEERING WHEEL                                                  |
| 2    | 1-4437   | ROLL-PIN, 1/4" x 2-1/4"                                         |
| 3    | 1-8601   | ACTUATOR, Steering Lock                                         |
| 4    | 1-4362   | RING, 13/16" External Retaining                                 |
| 5    | 1-4402   | SPRING, Actuator                                                |
| 6    | 1-4430   | COVER, Slide                                                    |
| 7    | 3-2272   | RISER, Steering Lock                                            |
| 8    | 1-8583   | BUSHING, Steering Lock                                          |
| 9    | 2-7646   | SHAFT, Steering (Current Models)                                |
| 10   | 1-8568   | PINION, Steering                                                |
| 11   | 9-0841   | ROLL-PIN, 3/16 x 1-1/2"                                         |
| 12   | 5-7363   | ASSEMBLY, Bearing Support (Incl. Items 13 & 14)(Current Models) |
| 13   | 1-4436   | BEARING, Flange                                                 |
| 14   | 1-4435   | BUSHING                                                         |
| 15   | 1-3864   | FITTING, Lube (5)                                               |
| 16   | 9-0870   | SNAP-RING, 5/16 (Current Models)                                |
| 17   | 1-4358   | PIVOT (2)                                                       |
| 18   | 9-0391   | WASHER, 5/16 Internal Tooth Lock (2)                            |
| 19   | 9-0793   | SCREW, 5/16-18 x 3/4" Hex Washer Self-Tap (2)                   |
| 20   | 1-2706   | BEARING (2)                                                     |
| 21   | 1-9717   | QUADRANT, Steering                                              |
| 22   | 5-1457   | ASSEMBLY, Sector (Includes two item 20, one item 15)            |
| 23   | 9-0072   | SCREW, 1/4-20 x 5/8" Hex Head Cap, Grade 5 (3)                  |
| 24   | 9-0372   | NUT, 1/4-20 Hex Center Lock, Grade B or 5 (3)                   |
| 25   | 1-0027   | NUT, 3/4-16 Hex Jam                                             |
| 26   | 1-9724   | DRAG-LINK                                                       |
| 27   | 1-8621   | ARM, Steering                                                   |
| 28   | 9-0842   | ROLL-PIN, 1/4 x 1-1/4"                                          |
| 29   | 5-7366   | ASSEMBLY, Front Axle (Includes six item 20, three item 15)      |
| 30   | 2-1882   | JOURNAL, Axle                                                   |
| 31   | 4-7812   | KING-PIN, Right Side                                            |
| 32   | 4-7813   | KING-PIN, Left Side                                             |
| 33   | 3-1036   | WASHER, Thrust (2)                                              |
| 34   | 1-0746   | RING, 3/4" External Retaining (2)                               |
| 35   | 1-0745   | BALL-JOINT (2)                                                  |
| 36   | 1-4403   | TIE-ROD                                                         |
| 37   | 9-0118   | WASHER, 3/8" Split Lock (2)                                     |
| 38   | 9-0155   | NUT, 3/8-24 Hex, Grade 2 (2)                                    |
| 39   | 9-0364   | COTTER-PIN, 5/32 x 1" (2)                                       |
| 40   | 9-0254   | WASHER, 1/2 Split Lock (2)                                      |
| 41   | 9-0265   | NUT, 1/2-20 Hex, Grade 2                                        |
| 42   | 9-0826   | SCREW, 1/2-20 x 4" Hex Head Cap, Grade 5                        |
| 43   | 9-0393   | NUT, 1/2-20 Hex Thin Lock                                       |
| 44   | 1-3866   | WASHER, 3/8" I.D. Flat                                          |
| 45   | 9-0863   | WASHER, 3/4" I.D. Flat                                          |
| 46   | 9-0281   | NUT, 3/4-16 Hex                                                 |
| 47   | 6-0704   | BAG, Hardware (Includes items 2 and 1-1024 Cap Plug)            |

# TRANSMISSION ASSEMBLY PARTS

## 1 ASSEMBLY




Early Models



## TRANSMISSION ASSEMBLY PARTS


| ITEM | PART NO. | DESCRIPTION                                                |
|------|----------|------------------------------------------------------------|
| 1    | 5-9846   | ASSEMBLY, TRANSMISSION (Includes items 2 thru 56)          |
| 2    | 5-7416   | COVER, Transmission (Includes item 35,36,37,47 & 49)       |
| 3    | 5-1427   | ASSEMBLY, Hex Tube (Short)(Includes items 4 thru 7)        |
| 4    | 1-1178   | BEARING, Needle (2)                                        |
| 5    | 1-4470   | RING, Retaining (2)                                        |
| 6    | 5-1455   | TUBE, Hex (Includes two item 4)                            |
| 7    | 1-4448   | SPROCKET, 46 Tooth (#35)                                   |
| 8    | 2-1898   | RACE, Bearing                                              |
| 9    | 3-2255   | THRUST WASHER                                              |
| 10   | 4-0499   | CLUSTER GEAR                                               |
| 11   | 1-4490   | CHAIN, 56 Pitch (#35)                                      |
| 12   | 2-7647   | SHAFT, Third Reduction (6.027" Long)                       |
| 13   | 1-8596   | GEAR, 67 Tooth, 12 Pitch                                   |
| 14   | 1-8598   | SPROCKET, 10 Tooth (#50)                                   |
| 15   | 1-8597   | GEAR, 47 Tooth, 12 Pitch                                   |
| 16   | 1-0690   | SHIM WASHER (2)                                            |
| 17   | 1-0756   | BEARING (2)                                                |
| 18   | 5-1584   | ASSEMBLY, Drive Hex Tube                                   |
| 19   | 1-0211   | KEY, Woodruff (#9)                                         |
| 20   | 1-0988   | SPECIAL WASHER (Hex Insert)                                |
| 21   | 5-1607   | SHAFT, Drive Tube Support                                  |
| 22   | *        | DIFFERENTIAL (See Page 19 for Breakdown)                   |
| 23   | 1-4444   | CHAIN, 42 Pitch (#50)                                      |
| 24   | 1-4446   | SPECIAL WASHER *Not available assembled as shown           |
| 25   | 1-1817   | OIL SEAL (2) **Older units not updated                     |
| 26   | 3-1732   | CAP, Seal                                                  |
| 27   | 1-1037   | CLAMP, 1-7/8" Hose                                         |
| 28   | 2-1899   | SPACER, Bearing (.280" thick, use with 1-4400              |
| —    | 3-2107   | SPACER, Bearing (.145" thick; use with 1-8822)             |
| 29   | 1-4400   | BEARING                                                    |
| 29A  | 1-8822   | BEARING, Rear Axle (.957" thick)                           |
| 30   | 1-4401   | COLLAR, Lock                                               |
| 31   | 1-4541   | CAP, Dust Seal                                             |
| 32   | 1-4542   | CLAMP, For 2.69" Hose                                      |
| 33   | 3-2309   | ROD, (HI-LO Range) Shift                                   |
| 34   | 5-7330   | ASSEMBLY, HI-LO Shifter (Includes Items 35 thru 39)        |
| 35   | 1-5219   | SEAL, Oil                                                  |
| 36   | 1-4514   | BEARING                                                    |
| 37   | 5-1586   | ASSEMBLY, Bearing Retainer                                 |
| 38   | 1-4508   | *O"-RING                                                   |
| 39   | 1-5017   | RING, Tolerance                                            |
| 40   | 2-1901   | GUIDE-PIN, Shift                                           |
| 41   | 1-9962   | GASKET, Cover to Case                                      |
| 42   | 5-7417   | ASSEMBLY, Transmission Case (Incl. items 17,29,47,48 & 49) |
| —    | 5-7449   | ASSEMBLY, Transmission Case (Incl. Items 29A, 46 & 57)     |
| 43   | 1-1024   | PLUG, Oil Fill & Check (2)                                 |
| 44   | 9-0362   | SCREW, 1/4-20 x 5/8" HWF Self Tap (18)                     |
| 45   | 9-0584   | BOLT, 1/4-20 x 1/2" HWF (2-Locating)                       |
| 46   | 9-0583   | NUT, 1/4-20 Hex Flange Lock (for item 45)                  |
| 47   | 1-5218   | *O"-RING (2)                                               |
| 48   | 5-1585   | ASSEMBLY, Bearing Retainer                                 |
| 49   | 9-0583   | NUT, 1/4-20 Hex Flange Lock (6)                            |
| 50   | 1-5041   | SPACER, Brake Shaft (2)                                    |
| 51   | 9-0499   | NUT, 3/8-16 Hex Top Lock                                   |
| 52   | 9-0134   | SCREW, 3/8-16 x 3/4" Hex Head Cap, Grade 5                 |
| 53   | 9-0118   | WASHER, 3/8 Split Lock                                     |
| 54   | 9-0810   | SCREW, 3/8-16 x 3-1/4" Hex Head Cap                        |
| 55   | 2-1903   | COUPLING, Shift Lever                                      |
| 56   | 9-0844   | ROLL-PIN, 3/16 X 3/4"                                      |
| 57   | 1-5799   | GASKET, Bearing Retainer                                   |

## PRIMARY CHAIN CASE



| ITEM | PART NO. | DESCRIPTION                                                |
|------|----------|------------------------------------------------------------|
| 1    | 5-9639   | ASSEMBLY, Primary Chain Case<br>(Includes items 2 thru 15) |
| 2    | 4-7829   | COVER, Case                                                |
| 3    | 2-8761   | GASKET, Case/Cover                                         |
| 4    | 4-0355   | HUB & SPROCKET                                             |
| 5    | 1-1086   | THRUST-WASHER (2)                                          |
| 6    | 1-0942   | BEARING, Needle (2)                                        |
| 7    | 1-0756   | BEARING, Ball (2)                                          |
| 8    | 1-0940   | SHAFT, Input                                               |
| 9    | 1-0941   | CHAIN                                                      |
| 10   | 4-7830   | CASE, Sprocket                                             |
| 11   | 9-0307   | SCREW, #10-24 x 1/2" HW Self-Tap (10)                      |
| 12   | 9-0072   | SCREW, 1/4-20 x 5/8" Hex Head Cap, Gr. 5                   |
| 13   | 9-0372   | NUT, 1/4-20 Hex Center Lock                                |
| 14   | 1-1121   | WASHER, Bellville                                          |
| 15   | 1-0614   | KEY, 1/8 x 5/8 Woodruff                                    |
| 16   | 5-9443   | HUB, Driven Disc                                           |
| 17   | 5-3103   | DISC, Driven                                               |
| 18   | 9-0356   | NUT, 5/8-18 Hex Center Lock                                |
| 19   | 1-4508   | O-RING, 5/8 (2)                                            |
| 20   | 9-1601   | NUT, 5/8-18 Hex Flange Lock, Grade 5 (3)                   |
| 21   | 1-1024   | PLUG (Oil fill & check)                                    |
| 22   | 1-4396   | BUSHING, Primary Clutch Ball                               |
| 23   | 1-4523   | WASHER, Thrust                                             |
| 24   | 3-2331   | PLATE                                                      |


## REAR AXLE-DIFFERENTIAL



| ITEM | PART NO. | DESCRIPTION                    |
|------|----------|--------------------------------|
| 1    | 5-7323   | AXLE, Long (Includes Gear)     |
| 2    | 5-7380   | AXLE, Short (Includes Gear)    |
| 3    | 1-8599   | SPROCKET, 31 Tooth             |
| 4    | 3-8067   | PLATE, Differential            |
| 5    | 1-2333   | CAPSCREW, Special Lock (8)     |
| 6    | 2-1126   | SPACER, Pinion (8)             |
| 7    | 2-1127   | PINION GEARS, Differential (8) |
| 8    | 1-1026   | SPACER, Axle                   |

DIFFERENTIAL PART OF TRANSMISSION ASSEMBLY-SEE PAGE 16.

## SHIFTER ASSEMBLY




① ASSEMBLY

| ITEM | PART NO. | DESCRIPTION                                       |
|------|----------|---------------------------------------------------|
| 1    | 5-7330   | ASSEMBLY, HI-LO SHIFTER (Includes items 2 thru 6) |
| 2    | 4-7833   | FORK, Shift                                       |
| 3    | 1-4469   | BALL, Detent                                      |
| 4    | 1-4500   | SPRING, Detent Ball                               |
| 5    | 2-1900   | GUIDE-PIN, Detent                                 |
| 6    | 9-0842   | ROLL-PIN, 1/4x1-1/4                               |

SHIFTER PART OF TRANSMISSION ASSEMBLY-SEE PAGE 16.

# ELECTRIC SYSTEM COMPONENTS

https://truckmanualshub.com/



KIT, Hourmeter (6-0788)  
KIT, Ammeter (6-0767)  
KIT, Hourmeter/Ammeter (6-0743)

## ITEM PART NO. DESCRIPTION

|    |        |                              |
|----|--------|------------------------------|
| 1  | 1-9743 | HARNESS, Wiring              |
| 2  | 2-3235 | HARNESS, Diode               |
| 3  | 1-4847 | SWITCH, Seat Interlock (NO)  |
| 4  | 6-0618 | BATTERY 12V. 30 Amp Hour     |
| 5  | 1-4475 | CABLE, Negative (Black)      |
| 6  | 1-2444 | COVER, Positive Terminal     |
| 7  | 1-4476 | CABLE, Solenoid/Starter(11") |
| 8  | 1-3941 | CIRCUIT-BREAKER 20 AMP       |
| 9  | 1-8623 | SWITCH, Headlamp (NO)        |
| 10 | 1-8604 | SOLENOID                     |
| 11 | 1-8562 | KEYSWITCH (Incl. item 12)    |
| 12 | 1-1138 | KEY (Set of 2)               |
| 13 | 1-9545 | SWITCH, PTO                  |
| 14 | 1-8571 | MODULE, Interlock            |
| 15 | 1-4451 | TIE, Wire                    |
| 16 | 1-2080 | TIE, Cable                   |


## ITEM PART NO. DESCRIPTION

|    |        |                                                   |
|----|--------|---------------------------------------------------|
| 17 | 1-4870 | WIRE, Seat Switch to Ground                       |
| 18 | 1-4477 | CABLE, Solenoid/Starter (36")                     |
| 19 | 1-4478 | WIRE, Breaker to Solenoid                         |
| 20 | 1-8524 | SWITCH, Clutch Interlock (NO)                     |
| 21 | 1-9529 | HARNESS, Headlamp                                 |
| 22 | 1-8415 | HEAD-LAMP (2)                                     |
| 23 | 9-0074 | BOLT, 1/4-20 X 3/4" Carriage                      |
| 24 | 9-0311 | WING-NUT, 1/4-20 (2)                              |
| 25 | 9-0362 | SCREW, 1/4-20 X 5/8" Hex Washer Self-Tap (2)      |
| 26 | 9-0053 | WASHER, 1/4 Int. Tooth Lock                       |
| 27 | 9-0063 | NUT, 1/4-20 Hex (2)                               |
| 28 | 1-2686 | NUT, Special 1/2-27 Hex                           |
| 29 | 9-0307 | SCREW, #10-24 x 1/2" Hex Washer Face Self-Tap (2) |
| 30 | 1-2685 | NUT, Special 5/8-32 Hex                           |
| 31 | 1-5208 | HARNESS, Module Repair                            |

## FRONT WHEELS

### ① ASSEMBLY

| ITEM | PART NO. | DESCRIPTION                                              |
|------|----------|----------------------------------------------------------|
| 1    | 5-1372   | ASSEMBLY, Front Tire & Rim<br>(Includes items 2, 3, & 4) |
| 2    | 1-9718*  | RIM, LT16 Front Wheel                                    |
| 3    | 1-4350   | TIRE, 15 x 6.00 x 6                                      |
| 4    | 1-2234   | VALVE, Air                                               |
| 5    | 1-3876   | FITTING, Lube                                            |
| 6    | 1-4483   | BEARING, Wheel (2)                                       |
| 7    | 3-2027   | WASHER, 49/64 x 1-1/2" Flat                              |
| 8    | 1-1022   | COVER, Dust                                              |
| 9    | 9-0364   | PIN, 5/32 X 1" Cotter                                    |




\*(Rim Includes one item 5 & two item 6)


## REAR WHEELS

### ① ASSEMBLY

| ITEM | PART NO. | DESCRIPTION                                            |
|------|----------|--------------------------------------------------------|
| 1    | 5-1606   | ASSEMBLY, Rear Tire & Rim<br>(Includes items 2, 3 & 4) |
| 2    | 1-9777   | RIM, LT16 Rear Wheel                                   |
| 3    | 1-5326   | TIRE, 21 x 7.00 x 10                                   |
| 4    | 1-2234   | VALVE, Air                                             |
| 5    | 4-0529   | HUB, Rear Wheel                                        |
| 6    | 1-1013   | BOLT, Tapered                                          |
| 7    | 1-1201   | NUT, 5/16-24 Lock                                      |
| 8    | 9-0367   | BOLT, Lug (1/2-20 x 3/4" HHCS)                         |
| 9    | 1-5266   | HUB-CAP                                                |




## IMPLEMENT LIFT PARTS



## IMPLEMENT LIFT PARTS

| ITEM | PART NO. | DESCRIPTION                                                |
|------|----------|------------------------------------------------------------|
| 1    | 4-7868   | ARM, Implement Lift Lever                                  |
| 2    | 3-2435   | ROD, Lift Lever                                            |
| 3    | 1-4361   | CAP, Lift Release                                          |
| 4    | 1-3948   | GRIP, Handle                                               |
| 5    | 4-9725   | ARM, Rear Lift (1985)(22")                                 |
| 6    | 3-2239   | BRACKET, Hanger (2)                                        |
| 7    | 3-2266   | LIFT-ROD                                                   |
| 8    | 1-8289   | BEARING, Sleeve (2)                                        |
| 9    | 5-1523   | PIVOT ASSY, Lift Lever<br>(Incl. Two item 8 & one item 21) |
| 10   | 4-7806   | LEVER-ARM                                                  |
| 11   | 1-5019   | PLUG, Rod                                                  |
| 12   | 9-0250   | WASHER, 1/2 SAE (2)                                        |
| 13   | 1-5020   | RING, 7/8" Ext. Retaining                                  |
| 14   | 3-8063   | QUADRANT, Lift Lever                                       |
| 15   | 1-3250   | KEY, 1/4 x 1/4 Square                                      |
| 16   | 9-0881   | PIN, 3/16 x 2" Groove                                      |
| 17   | 9-0612   | BOLT, 3/8-16 x 3/4" Hex<br>Flange Lock (2)                 |
| 18   | 9-0613   | NUT, 3/8-16 Hex Flange Lock                                |
| 19   | 9-0361   | SCREW, 5/16-18 x 5/8" Hex<br>Washer Face Self-Tap (4)      |
| 20   | 9-0506   | SCREW, 3/8-16 x 1/2" Hex<br>Washer Face Self-Tap (4)       |
| 21   | 1-3864   | FITTING, Lube                                              |
| 22   | 9-0041   | PIN, 1/8 x 1" Cotter                                       |
| 23   | 1-4432   | SPRING, Lift Handle                                        |
| 24   | 3-2763   | TAB (2)                                                    |
| 25   | 9-0005   | BOLT, 1/4-20 x 1/2" Short Neck<br>Carriage, Grade 5 (2)    |
| 26   | 9-0583   | NUT, 1/4-20 Hex Flange Lock (2)                            |




REAR LIFT ARM


## IMPLEMENT LIFT PARTS

### DECK HANGER DETAIL

HARDWARE BAG 6-0591 (33,41,48" DECK)



FRONT LIFT ARM




FRONT LIFT BRACKET



## LT 12 & LT 16 SERIES 2

**ATTACHMENT****33" MOWER (6-0828)**

| ITEM | PART NO. | DESCRIPTION                                            | ITEM | PART NO. | DESCRIPTION                                                  |
|------|----------|--------------------------------------------------------|------|----------|--------------------------------------------------------------|
| 1    | 1-4799   | BELT, 33" Mower Drive (A101)                           | 34   | 1-9523   | BLADE, 33" Cutter Deck                                       |
| 2    | 5-7362   | ASSEMBLY, Mule Drive (See Page 30 for parts breakdown) | 35   | 6-0480   | KIT, Air Lift (Incl. two 3-7723 & six each items 36, 37, 38) |
| 3    | 1-8574   | PULLEY, Idler (Flat)(4.12O.D.)                         | 36   | 9-0228   | SCREW, 5/16-24 Machine (6)                                   |
| 4    | 3-2341   | GUIDE, Belt                                            | 37   | 9-0391   | WASHER, 5/16 Internal Tooth Lock (6)                         |
| 5    | 4-7841   | ARM, Idler                                             | 38   | 9-0223   | NUT, 5/16-24 Hex (6)                                         |
| 6    | 1-4405   | SPRING, Belt Tension                                   | 39   | 9-0509   | WASHER, 1/2" Internal Tooth Lock (2)                         |
| 7    | 1-0027   | NUT, 3/4-16 Hex Jam                                    | 40   | 1-2670   | RING, Tolerance                                              |
| 8    | 1-8581   | PULLEY, 8" O.D.                                        | 41   | 4-7870   | WELDMENT, Front Lift Arm                                     |
| 9    | 3-8018   | BRACE, Spindle                                         | 42   | 3-8194   | RAIL- 33"                                                    |
| 10   | 1-4756   | BUMPER BUTTON                                          | 43   | 3-2432   | LINK- ADJUSTMENT                                             |
| 11   | 3-5068   | DECK, 33" Cutter                                       | 44   | 9-0122   | WASHER, 3/8 Flat (3)                                         |
| 12   | 5-1533   | ASY, Bracket Rear Lift (2)                             | 45   | 9-0118   | WASHER, 3/8 Split Lock                                       |
| 13   | 1-4416   | DECAL, Caution, (Deflector/Adapter)                    | 46   | 9-0850   | 3/8-16 BOLT, x 3/4" Carriage                                 |
| 14   | 1-0935   | WASHER, Shim (2)                                       | 47   | 9-0130   | NUT, 3/8-16 Hex (2)                                          |
| 15   | 5-1525   | ASSEMBLY, 3/8 Bolt-Chain (2)                           | 48   | 1-5012   | RING, Adjustment                                             |
| 16   | 1-4355   | CABLE, Front Lift (8.0")                               | 49   | 9-0563   | SCREW, 3/8-16 x 1" HHC (2)                                   |
| 16A  | 1-5629   | CABLE, Front Lift (8.32")                              | 50   | 9-0001   | BOLT, 5/16-18 x 3/4" Short Neck Carriage, Grade 5            |
| 17   | 9-0585   | NUT, 5/16 18 Hex Fl. Lock (5)                          | 51   | 9-0492   | WING-NUT, 5/16-18                                            |
| 18   | 3-8043   | BRACKET, Front Lift Hanger                             | 52   | 1-4583   | STUD, Deck Stop                                              |
| 19   | 5-1456   | DEFLECTOR (Incl. item 20)                              | 53   | 9-0164   | SCREW, 3/8-24 x 1-1/2" Hex Head Cap, Grade 2                 |
| 20   | 1-3871   | DECAL, Danger (Cut Finger)                             | 54   | 9-0289   | NUT, 3/8-24 Hex Center Lock                                  |
| 21   | 3-9586   | HINGE, Side Chute                                      | 55   | 9-0388   | T-NUT, 5/16-18                                               |
| 22   | 3-2323   | PIN, Hinge                                             | 56   | 9-0155   | NUT, 3/8-24 Hex                                              |
| 23   | 5-9619   | ASSEMBLY, Spindle (Includes items 24 thru 33)          | 57   | 1-0740   | RING, Retaining (2)                                          |
| 24   | 5-1529   | HOUSING, Spindle (Includes #33)                        | 58   | 9-0612   | BOLT, 3/8-16 x 3/4" Hex Flange Lock (17)                     |
| 25   | 2-7631   | SPINDLE, 33" Mower (7.75")                             | 59   | 9-0613   | NUT, 3/8-16 Hex Flange Lock (17)                             |
| 26   | 1-3313   | BEARING, Spindle (2)                                   | 60   | 9-0721   | BOLT, 5/16-18 x 1/2" Hex Flange Lock, Grade 5 (4)            |
| 27   | 1-2491   | RING, Retaining                                        | 61   | 9-0665   | NUT, 3/8-16 Hex Jam(2)                                       |
| 28   | 1-4407   | WASHER, Spindle                                        | 62   | 1-5067   | PIN, Hair Cotter                                             |
| 29   | 3-7751   | HOLDER, Blade                                          | 63   | 9-0390   | WASHER, 3/8 Int. Tooth Lock                                  |
| 30   | 9-0356   | NUT, 5/8-18 Hex Ctr. Lock                              |      |          |                                                              |
| 31   | 9-0392   | SCREW, 1/2-20 x 1" Hex Head Cap, Grade 5 (4)           |      |          |                                                              |
| 32   | 9-0559   | NUT, 1/2-20 Hex Jam (4)                                |      |          |                                                              |
| 33   | 1-0817   | FITTING, Lube (2)                                      |      |          |                                                              |




REFER TO KIT No.  
60640 FOR GAGE WHEELS

REFER TO PAGE 23 FOR MOWER  
TO TRACTOR HANGER DETAILS


**ATTACHMENT****41" MOWER (61845)**

| ITEM | PART NO. | DESCRIPTION                                             | ITEM | PART NO. | DESCRIPTION                                            |
|------|----------|---------------------------------------------------------|------|----------|--------------------------------------------------------|
| 1    | 1-4800   | BELT, 41" Mower (A137)                                  | 34   | 1-3871   | DECAL, Danger (Cut Finger)                             |
| 2    | 5-7362   | ASSEMBLY, Mule Drive (See pg. 30 for part breakdown)    | 35   | 1-4852   | DECAL, Caution (Deflector)                             |
| 3    | 1-4397   | PULLEY, 5-3/4" O.D. (2)                                 | 36   | 1-4853   | DECAL, Caution (Rot. Blades)                           |
| 4    | 3-8080   | GUARD, Pulley (2)                                       | 37   | 1-2670   | RING, Tolerance, 3/4" (2)                              |
| 5    | 3-8078   | BRACE, Spindle (2)                                      | 38   | 5-1473   | ASY, Spindle (refer to pg. 28)                         |
| 6    | 4-9724   | ASY, Front Lift Arm                                     | 39   | 1-9710   | BLADE, 21" Cutter (2)                                  |
| 7    | 9-0665   | JAM-NUT, 3/8-16 Hex (2)                                 | 40   | 9-0824   | SCREW, 3/8-24 x 1-1/4" Hex Head Cap, Grade 5 (3)       |
| 8    | 3-8181   | BRACKET, Right Front                                    | 41   | 1-2063   | CONE-WASHER (4)                                        |
| 9    | 9-0122   | WASHER, 3/8 Flat (3)                                    | 42   | 9-0136   | BOLT, 3/8-16 x 3/4" Square Neck Carriage, Grade 2 (9)  |
| 10   | 9-0118   | WASHER, 3/8 Split Lock                                  | 43   | 9-0612   | BOLT, 3/8-16 x 3/4" HFL (9)                            |
| 11   | 9-0563   | SCREW, 3/8-16 x 1" Hex Head                             | 44   | 9-0483   | SCREW, 3/8-24 x 1-3/4" Hex Head cap, Grade 5 (2)       |
| 12   | 9-0850   | BOLT, 3/8-16 x 3/4" Square Neck Carriage, Grade 5       | 45   | 9-0613   | NUT, 3/8-16 Hex Fl. Lock (18)                          |
| 13   | 3-2432   | LINK, Adjustment                                        | 46   | 9-0289   | NUT, 3/8-24 Hex Ctr. Lk. (12)                          |
| 14   | 1-5012   | RING, Adjustment                                        | 47   | 9-0820   | NUT, 3/4-16 Jam Lock (2)                               |
| 15   | 9-0130   | NUT, 3/8-16 Hex (2)                                     | 48   | 9-0741   | SCREW, 1/4-20 x 5/8" HWST                              |
| 16   | 1-4355   | CABLE, Front Lift                                       | 49   | 9-0799   | BOLT, 5/16-18 x 5/8" Square Neck Carriage, Grade 5 (8) |
| 17   | 3-8043   | BRACKET, Fr. Lift Arm Hanger                            | 50   | 9-0721   | BOLT, 5/16-18 x 1/2" Hex Flange Lock, Grade 5 (2)      |
| 18   | 9-0388   | T-NUT, 5/16-18                                          | 51   | 9-0585   | NUT, 5/16-18 Hex Flange Lock, Grade 5 (11)             |
| 19   | 1-8585   | PULLEY, 4.1 O.D. (2)                                    | 52   | 9-0600   | WASHER, 7/16 SAE                                       |
| 20   | 1-4408   | STUD, Idler (3/8-24)                                    | 53   | 9-0183   | WASHER, 5/8 Flat                                       |
| 21   | 9-0041   | COTTER-PIN, 1/8 x 1"                                    | 54   | 1-0935   | WASHER, Spacer                                         |
| 22   | 5-1399   | ASY, Idler Arm (Incl. two 1-4409 bushings & 1-3864)     | 55   | 1-1791   | RETAINER, 5/16 Bolt (2)                                |
| 23   | 1-4410   | GUIDE, Belt                                             | 56   | 9-0375   | WING-NUT, 5/16-18 (2)                                  |
| 24   | 1-4513   | SPRING, Idler Arm                                       | 57   | 1-2929   | PAD                                                    |
| 25   | 3-8079   | BRACKET, Idler                                          | 58   | 9-0167   | SCREW, 3/8-24 x 2" Hex Head Cap, Grade 5               |
| 26   | 3-2297   | BRACKET, Front Left Hanger                              | 59   | 9-0187   | WASHER, 5/16 Split Lock (2)                            |
| 27   | 5-1525   | ASY, 3/8 Bolt/Chain (2)                                 | 60   | 1-5272   | SPACER (use with #32B)(2)                              |
| 28   | 5-1532   | BRKT, Rear Rt. Supp. (1985)                             |      |          |                                                        |
| 29   | 5-7385   | BRKT, Rear Left Supp. (1985)                            |      |          |                                                        |
| 30   | 4-9960   | MOWER DECK, 41"                                         |      |          |                                                        |
| 31   | 1-5273   | WHEEL, GAGE (2)                                         |      |          |                                                        |
| 32A  | 1-4472   | PIN, 1/2 O.D. (Gage Wheel, item 31, on early prod.) (2) |      |          |                                                        |
| 32B  | 9-0859   | SCREW, 3/8-24 x 3-3/4" Hex Head Cap, Grade 5 (2)        |      |          |                                                        |
| 33   | 5-1401   | DEFLECTOR, (Side Chute) (Includes Decal, item 34)       |      |          |                                                        |




**ATTACHMENT****48" MOWER (61846)**

| ITEM | PART NO. | DESCRIPTION                   | ITEM | PART NO. | DESCRIPTION                   |
|------|----------|-------------------------------|------|----------|-------------------------------|
| 1    | 4-9961   | DECK STRUCTURE- 48"           | 36   | 9-0041   | PIN, 1/8 x 1" Cotter          |
| 2    | 4-9724   | ARM, Front Lift               | 37   | 9-0169   | SCREW, 3/8-24 x 2-1/2"        |
| 3    | 3-2297   | BRACKET, Front Hanger         |      |          | Hex Head Cap                  |
| 4    | 5-7384   | SUPPORT, Rear Right (1985)    | 38   | 9-0136   | BOLT, 3/8-16 x 3/4" Square    |
| 5    | 5-7383   | SUPPORT, Rear Left (1985)     |      |          | Neck Carriage, Grade 2 (9)    |
| 6    | 3-8078   | BRACE, Spindle (3)            | 39   | 9-0167   | SCREW, 3/8-24 x 2" Hex        |
| 7    | 3-5054   | GUARD, Pulley (2)             |      |          | Head Cap, Grade 5             |
| 8    | 1-5273   | ROLLER (2)                    | 40   | 9-0859   | SCREW, 3/8-24 x 3-3/4" Hex    |
| 9    | 1-5272   | SPACER (2)                    |      |          | Head Cap, Grade 5 (2)         |
| 10   | 5-1475   | ASSEMBLY, Idler Arm           | 41   | 9-0799   | BOLT, 5/16-18 x 5/8" Square   |
| 11   | 3-8156   | IDLER ARM, Center             |      |          | Neck Carriage, Grade 5 (4)    |
| 12   | 1-4805   | WASHER- Square                | 42   | 9-0289   | NUT, 3/8-24 Hex Ctr. Lock (8) |
| 13   | 1-4801   | V-BELT, Drive- A92            | 43   | 9-0613   | NUT, 3/8-16 Hex Fl. Lock (22) |
| 14   | 2-4497   | BELT, Deck- AA105             | 44   | 9-0820   | NUT, 3/4-16 Hex Jam (3)       |
| 15   | 1-4545   | PULLEY, Double (4-3/4")       | 45   | 9-0585   | NUT, 5/16-18 Hex Fl. Lock (4) |
| 16   | 1-8585   | PULLEY, Flat Idler (4.8 O.D.) | 46   | 9-0183   | WASHER, 5/8 SAE               |
| 17   | 1-8651   | PULLEY, V-Idler (4-1/2" O.D.) | 47   | 9-0122   | WASHER, 3/8 SAE (2)           |
| 18   | 1-4544   | PULLEY, 4-3/4" O.D. (2)       | 48   | 5-1401   | ASSEMBLY, Side Chute          |
| 19   | 1-9733   | BLADE, 16.5 (3)               |      |          | (Includes item 49)            |
| 20   | 5-1473   | ASSEMBLY, Spindle (2)         | 49   | 1-3010   | DECAL, Danger                 |
|      |          | (See page 30 for breakdown)   | 50   | 9-0118   | WASHER, 3/8 Split Lock (2)    |
| 21   | 5-1528   | ASSEMBLY, Spindle (See        | 51   | 9-0187   | WASHER, 5/16 Split Lock (2)   |
|      |          | page 31 for breakdown)        | 52   | 9-0375   | WING-NUT, 5/16-18 (2)         |
| 22   | 1-2670   | TOLERANCE RING, 3/4" (3)      | 53   | 1-0935   | WASHER, 3/4 I.D. (4)          |
| 23   | 1-4408   | IDLER STUD                    | 54   | 1-1791   | RETAINER, 5/16 Bolt (2)       |
| 24   | 1-4513   | SPRING (2)                    | 55   | 1-4852   | DECAL, Caution                |
| 25   | 1-4410   | BELT GUIDE                    | 56   | 1-4853   | DECAL, Caution                |
| 26   | 3-2368   | BELT GUIDE                    | 57   | 9-0130   | NUT, 3/8-16 Hex (2)           |
| 27   | 2-1945   | SPACER                        | 58   | 9-0850   | BOLT, 3/8-16 x 3/4" Short     |
| 28   | 9-0788   | BOLT, 5/16-18 x 3/4" Short    |      |          | Square Neck Carr., Gr. 2      |
|      |          | Square Neck, Grade 5          | 59   | 9-0563   | SCREW, 3/8-16 x 1" Hex Head   |
| 29   | 1-4795   | WASHER, Plastic (2)           |      |          | Cap, Grade 5                  |
| 30   | 1-0740   | RING, 2" Ext. Retaining (2)   | 60   | 1-5012   | RING, Adjustment              |
| 31   | 9-0824   | SCREW, 3/8-24 x 1-1/4"        | 61   | 3-8181   | BRACKET, Right Front          |
|      |          | Hex Head Cap, Grade 5 (4)     | 62   | 3-2432   | LINK, Adjustment              |
| 32   | 9-0164   | SCREW, 3/8-24 x 1-1/2"        | 63   | 1-8445   | WHEEL, 6.00" Gage (2)         |
|      |          | Hex Head Cap, Grade 2         | 64   | 1-3844   | PIN, Hair Cotter (2)          |
|      |          |                               | 65   | 1-4857   | PIN, 1/2 x 3" Clevis (2)      |
| 33   | 1-2063   | WASHER, Cone (6)              | 66   | 5-1525   | ASSEMBLY, Bolt/Chain (2)      |
| 34   | 1-4527   | SPACER (2)                    | 67   | 1-4355   | CABLE, Front Lift (8")        |
| 35   | 9-0612   | BOLT, 3/8-16 x 3/4" Hex       | 67A  | 1-5629   | CABLE, Front Lift (8.32")     |
|      |          | Flange Lock (13)              | 68   | 3-8043   | BRACKET, Front Lift Hanger    |
|      |          |                               | 69   | 9-0388   | T-NUT, 5/16-18                |
|      |          |                               | 70   | 9-0665   | NUT, 3/8-16 Hex Jam (2)       |



| ITEM | PART NO. | DESCRIPTION                                                      |
|------|----------|------------------------------------------------------------------|
| 1    | 5-7362   | ASSEMBLY, Mule Drive<br>(Includes items 2 thru 8)                |
| 2    | 4-7860   | BRACKET, Mule Drive                                              |
| 3    | 1-8651   | PULLEY, Belt Idler (2)                                           |
| 4    | 9-0791   | BOLT, 3/8-16 x 1-1/2" Short Square<br>Neck Carriage, Grade 5 (2) |
| 5    | 9-0499   | NUT, 3/8-16 Hex Top Lock (2)                                     |
| 6    | 9-0850*  | BOLT, 3/8-16 x 3/4" Square Neck<br>Carriage, Grade 2             |
| 7    | 9-0613*  | NUT, 3/8-16 Hex Flange Lock                                      |
| 8    | 1-3847*  | RETAINER, 3/8 Bolt                                               |


## SPINDLE ASSEMBLY (41" & 48" OUTBOARD)



| ITEM | PART NO. | DESCRIPTION                                    |
|------|----------|------------------------------------------------|
| 1    | 5-1473   | ASSEMBLY, Spindle<br>(Includes items 2 thru 7) |
| 2    | 2-7632   | SPINDLE (6.06")                                |
| 3    | 5-1472   | HOUSING, Spindle (Incl. Item 8)                |
| 4    | 1-3313   | BEARING, Spindle (2)                           |
| 5    | 1-2491   | RING, Retaining (2)                            |
| 6    | 1-4407   | WASHER, Spindle                                |
| 7    | 3-2294   | HOLDER, Blade                                  |
| 8    | 1-0817   | FITTING, Lube                                  |
| 9    | 1-2670*  | RING, Tolerance                                |

\*Order Separately

## SPINDLE ASSEMBLY (48" CENTER)




| ITEM | PART NO. | DESCRIPTION                                    |
|------|----------|------------------------------------------------|
| 1    | 5-1528   | ASSEMBLY, Spindle<br>(Includes Items 2 thru 8) |
| 2    | 2-7641   | SPINDLE (7.5")                                 |
| 3    | 5-1527   | HOUSING, Spindle (Incl. Item 8)                |
| 4    | 1-3313   | BEARING, Spindle                               |
| 5    | 1-2491   | RING, Retaining (2)                            |
| 6    | 1-4407   | WASHER, Spindle                                |
| 7    | 3-2294   | HOLDER, Blade                                  |
| 8    | 1-0817   | FITTING, Lube                                  |
| 9*   | 1-2670   | RING, Tolerance                                |

\*Order Separately


## ELECTRIC CLUTCH ASSEMBLY

### 1 KIT, ELECTRIC CLUTCH



SEE PAGE 8 for Clutch Retaining Hardware


| ITEM | PART NO. | DESCRIPTION                                                                                            |
|------|----------|--------------------------------------------------------------------------------------------------------|
| 1    | 5-3679   | KIT, Electric Clutch (Includes the Following items for Snapper #1-9982 Warner Electric Model I-5210-3) |
| 2    | 1-4947   | FIELD COIL (Includes Ball Bearing)                                                                     |
| 3    | 1-4948   | ROTOR                                                                                                  |
| 4    | 1-4949   | ASSEMBLY, Arm-Pulley (Includes Ball Bearing)                                                           |
| 5    | 9-0854   | NUT, 3/8-24 Hex Nylok (3)                                                                              |
| 6    | 1-4950   | COIL SPRING (3)                                                                                        |



# ATTACHMENT


# 6-0600 THATCHERIZER (00803)

| ITEM | PART NO. | DESCRIPTION                                             |
|------|----------|---------------------------------------------------------|
| 1    | 1-9947   | TRAY, Tine                                              |
| 2    | 1-8491   | TINE, Thatching (8)                                     |
| 3    | 1-8700   | SUPPORT, Wheel                                          |
| 4    | 1-8493   | AXLE                                                    |
| 5    | 1-8189   | WHEEL, Gauge                                            |
| 6    | 1-4110   | ROD, Tine (2)                                           |
| 7    | 1-4778   | BRACKET, Frame Mounting (2)                             |
| 8    | 1-9750   | BAR, Tractor Mounting, RH                               |
| 9    | 1-9749   | BAR, Tractor Mounting, LH                               |
| 10   | 1-4781   | ASSEMBLY, Main Frame Weldment                           |
| 11   | 1-4783   | ROD, Mounting                                           |
| 12** | 1-4113   | LATCH, Frame Mount (2)                                  |
| 13   | 1-8666   | BRACKET, Lift                                           |
| 14   | 1-8664   | HANDLE, Lift                                            |
| 15   | 1-8665   | BRACKET, Lift Handle Support                            |
| 16** | 1-4780   | STRAP, Handle Retaining                                 |
| 17*  | 9-0383   | BOLT, 5/16-18 x 1" Square Neck Carriage, Grade 5 (17)   |
| 18*  | 1-4098   | WASHER, Reinforcing (8)                                 |
| 19*  | 9-0187   | WASHER, 5/16 Split Lock (17)                            |
| 20*  | 9-0196   | NUT, 5/16-18 Hex (19)                                   |
| 21** | 1-4342   | BEARING, Nyliner (4)                                    |
| 22** | 1-4100   | BUSHING, Wheel Adjustment                               |
| 23** | 1-4103   | SCREW, 5/16-18 x 1/4" Set                               |
| 24** | 1-4101   | NUT, 1/2" Push (2)                                      |
| 25*  | 9-0250   | WASHER, 1/2 SAE (2)                                     |
| 26*  | 9-0761   | NUT, 1/4-20 Hex Top Lock (8)                            |
| 27*  | 9-0015   | BOLT, 1/4-20 x 1-3/4" Square Neck Carriage (2)          |
| 28** | 1-4114   | SPING, Compression (2)                                  |
| 29*  | 9-0078   | BOLT, 1/4-20 x 1-1/4" Square Neck Carriage, Grade 2 (2) |
| 30*  | 9-0598   | WASHER, 1/4 SAE (2)                                     |
| 31** | 1-4779   | PIN, 5/16 Clevis                                        |
| 32** | 1-4784   | GRIP, Handle                                            |
| 33** | 1-3113   | COTTER, Hairpin                                         |
| 34*  | 9-0692   | WASHER, 5/16 SAE (3)                                    |
| 35** | 1-2867   | COTTER, Hairpin                                         |
| 36*  | 9-0143   | BOLT, 3/8-16 x 1-1/4" Hex Head Cap, Grade 5 (4)         |
| 37*  | 9-0118   | WASHER, 3/8 Split Lock (4)                              |
| 38*  | 9-0130   | NUT, 3/8-16 Hex, Grade 5 (4)                            |
| 39   | 1-4062   | DECAL, Logo                                             |
| 40   | 1-4785   | DECAL, Adjustment                                       |
| 41** | 1-1780   | RING, Spacer (2)                                        |
| --   | 6-0648   | BAG, Hardware for 6-0600 (Incl *marked items)           |
| --   | 6-0656   | BAG, Hardware for 6-0656 (Incl **marked items)          |



**ATTACHMENT****6-0629 42" DOZER**

| <b>ITEM</b> | <b>PART NO.</b> | <b>DESCRIPTION</b>                                  |
|-------------|-----------------|-----------------------------------------------------|
| 1           | 5-7361          | ASSEMBLY, 42' Blade (Includes items 2 thru 6)       |
| 2           | 4-0445          | STRUCTURE, Slide (2)                                |
| 3           | 3-8145          | SCRAPER                                             |
| 4           | 4-7859          | BLADE                                               |
| 5           | 9-0850          | BOLT, 3/8-16 x 3/4" Square Neck Carriage, Gr. 2 (9) |
| 6           | 9-0546          | NUT, 3/8-16 Hex Center Lock, Grade B or 5 (9)       |
| 7           | 3-6113          | BEAM, Front                                         |
| 8           | 3-6114          | BEAM, Rear                                          |
| 9^          | 3-8147          | PLATE, Front Hitch                                  |
| 10^         | 3-8148          | BRACKET, Lift                                       |
| 11^         | 2-1940          | ROLLER, Lift                                        |
| 12^         | 2-1941          | PIN, Lift Roller                                    |
| 13^         | 4-0521          | HITCH WELDMENT, Rear Yoke                           |
| 14^         | 3-2390          | PLATE, Side Support (2)                             |
| 15^         | 1-4405          | SPRING, Lift Assist (2)                             |
| 16^         | 3-2391          | PIN, Latch                                          |
| 17^         | 4-9718          | STRUCTURE, Lift Yoke                                |
| 18^         | 3-8152          | ARM, Lift                                           |
| 19^         | 3-8150          | LINK                                                |
| 20          | 2-1938          | ROD, Operating                                      |
| 21^         | 3-2397          | PLATE, Quadrant Lockout (Includes Items 22 thru 24) |
| 22*         | 9-0803          | BOLT, 1/4-20 x 5/8" Flat Head Carriage (2)          |
| 23*         | 9-0063          | NUT, 1/4-20 Hex (2)                                 |
| 24*         | 9-0053          | WASHER, 1/4 Internal Tooth Lock (2)                 |
| 25          | 3-2452          | DRAWBAR, Short Auxilliary                           |
| 26          | 1-3844          | PIN, Hair Cotter (6)                                |
| 27*         | 9-0563          | SCREW, 3/8-3/8-16 x 1" Hex Head Cap, Grade 5 (14)   |
| 28*         | 9-0655          | SCREW, 3/8-16 x 1-1/2" Hex head Cap, Grade 5 (2)    |
| 29*         | 9-0118          | WASHER, 3/8 Split Lock (16)                         |
| 30*         | 9-0122          | WASHER, 3/8 Flat (2)                                |
| 31*         | 9-0130          | NUT, 3/8-16 Hex, Grade 5 (16)                       |
| 32          | 9-0546          | NUT, 3/8-16 Hex Center Lock, Grade B or 5 (2)       |
| 33*         | 9-0150          | WASHER, 1/2 Flat (4)                                |
| 34*         | 9-0017          | SCREW, 1/2-20 x 2-3/4" Hex Head Cap                 |
| 35*         | 9-0393          | NUT, 1/2-20 Nyloc                                   |
| 36          | 9-0206          | SCREW, 5/16-18 x 3/4" Hex Head Cap, Grade 2 (2)     |
| 37*         | 9-0187          | WASHER, 5/16 Split Lock (2)                         |
| 38*         | 9-0196          | NUT, 5/16-18 Hex (2)                                |
| 39          | 9-0747          | BOLT, 3/8-16 x 1" Square Neck Carriage, Grade 2 (4) |
| 40^         | 6-0634          | BAG, Hardware (Includes * marked items)             |
| 41          | 6-0633          | PARTS BOX for 6-0629 (Includes ^ marked items)      |

**#6-0659 REAR WEIGHT KIT****ATTACHMENT**

| ITEM | PART NO. | DESCRIPTION                              |
|------|----------|------------------------------------------|
| 1    | 3-8175   | FRAME                                    |
| 2    | 3-8176   | SUPPORT (2)                              |
| 3    | 1-9759   | WEIGHT (38 lb.) (2)                      |
| 4    | 3-2442   | PLATE, Retainer                          |
| 5    | 1-5002   | ROD, 3/8-16 x 9" Threaded (2)            |
| 6    | 9-0118   | WASHER, 3/8 Split Lock (2)               |
| 7    | 9-0130   | NUT, 3/8-16 Hex (4)                      |
| 8    | 9-0122   | WASHER, 3/8 Flat SAE (2)                 |
| 9    | 9-0187   | WASHER, 5/16 Split Lock (4)              |
| 10   | 9-0196   | NUT, 5/16-18 Hex (4)                     |
| 11   | 9-0209   | SCREW, 5/16-18 x 1" HHC Gr. 2 (2)        |
| 12   | 9-0208   | BOLT, 5/16-18 x 1" Sq. Neck Carriage (2) |

**#6-0711 DRAW BAR EXTENSION KIT**

| ITEM | PART NO. | DESCRIPTION                           |
|------|----------|---------------------------------------|
| 1    | 3-8204   | DRAWBAR, Long Auxilliary              |
| 2    | 3-2454   | SUPPORT, Cross                        |
| 3    | 9-0627   | SCREW, 5/16-18 x 1-1/4" HHC Gr. 5 (4) |
| 4    | 9-0187   | WASHER, 5/16 Split Lock (4)           |
| 5    | 9-0196   | NUT, 5/16-18 Hex (4)                  |

Parts Manual for

***SNAPPER***®

**LT 12 & LT 16 SERIES 2 LAWN  
TRACTORS**

***SNAPPER*** McDonough, GA., 30253 U.S.A.