

ISUZU

DIESEL

4JJ1T **ENGINE** & Turn-Key & Accessories



4JJ1T ENGINE



Data Summary

Off-Highway Diesel Engine Model & Spec

ISUZU
DIESEL

			4JJ1TYGV01 12V	4JJ1TYBW01 12V BW02 12V GCPTO
Performance	US EPA Off-Highway Emission Certification		Tier 3	
	EC Off-Highway Emission Certification		Stage 2	Stage 3A
	Rated Speed*	RPM	1800	2500
	Rated Power (SAE J1995 GROSS)*	KW HP	51 69	63 84
	Full-Load Fuel Consumption*	G/KW-HR LB/HP-HR	211 0.347	222 0.365
	Alternator Output	V-A	12V-110	
Size	Height	MM IN	847 33.3	847 33.3
	Width	MM IN	748 29.4	748 29.4
	Length	MM IN	884 34.8	953 37.5
Weight		KG LB	320 705	320 705
Basic Characteristics	Flywheel Housing / Flywheel		SAE #3 / 11.5" & 10" combo	
	Gear Case PTO Spline / Pad (optional)	(standard on BW02)	SAE 7/8" / SAE "B-B" & "A-A" 2-bolt	
	Displacement	L CUBIC IN	3.0 183	
	Number of Cylinders		4	
	Electronic High Pressure Common Rail Fuel Injection System		YES	
	Charge Air Cooler System (Required)		NO	
	Cooled Exhaust Gas Recirculation (EGR) System		YES	
Lubricating Oil System	Engine-mounted oil filter.			
Fuel System	Shipped-loose fuel filters and fuel pump to be remotely mounted.			
Control System	SAEJ1939 CAN BUS			
	Shipped-loose ECM to be remotely mounted and connected to engine harness, starter, alternator, fuel pump, off-engine sensors, fuses, relays, diagnostic connector and machine interface connector via supplemental harness and ECM enclosure.			
Cooling System	Radiator			
	Heat Rejection to Coolant*	MJ/HR BTU/MIN	125 1975	160 2528
	Cooling Fan Air Flow Rate @ Restriction	M ³ /MIN CFM	90 3178	134 4732
		KPA IN H ₂ O	0.29 1.2	0.69 2.8
	Coolant Flow Rate*	LPM GPM	70 18.5	95 25.1
	Max Allowed Engine Coolant Outlet Temp	°C °F	99 210	
	Max Allowed Coolant Pump Inlet Restriction	KPA IN HG	10 3.0	
	Charge Air Cooler (CAC)			
	Heat Rejection to CAC*	MJ/HR BTU/MIN	N/A N/A	N/A N/A
	Air Flow Rate*	M ³ /MIN CFM	N/A N/A	N/A N/A
	Max Allowed CAC Out Rise Above Ambient	°C °F	N/A N/A	
	Max Allowed System Restriction	KPA IN H ₂ O	N/A N/A	
	Fuel Cooler			
	Fuel Flow Rate	LPM GPH	1.3 21	
	Heat Rejection to Fuel Cooler	KCAL/HR BTU/MIN	800 53	
	Max Allowed Engine Fuel Inlet Temp	°C °F	60 140	
Air Cleaner System	Air Flow Rate*	M ³ /MIN CFM	3.2 113	4.4 155
	Max Allowed System Restriction	KPA IN H ₂ O	2.5 10.0	
Exhaust System	Exhaust Flow Rate*	M ³ /MIN CFM	8.2 290	10 353
	Max Allowed System Restriction	KPA IN HG	5 1.5	
Diagnostics	On-Board Diagnostics			

*Curve available - For curves and additional technical information and details, please go to www.isuzuengines-info.com

If you need assistance with access, navigation, etc., please contact your ISUZU representative.

ISUZU offers turn-key engine accessory kits for the above systems and more to allow quick and easy engine installation, turn-key engine operation, equipment testing, equipment sales and service.

For a list of available kits, please see the next page (Turn-Key Engine Accessories).

4JJ1T ENGINE



Turn-Key Engine Accessories

Off-Highway Diesel Engine Model & Spec



4JJ1TYGV01 12V 4JJ1TYBW01 12V
BW02 12V GCPTO
Kit #

Drive System

Flywheel Pilot Bearing Carrier	9-12339-061-1	included on eng
Gear Case PTO	N/A	N/A (included)
Air Compressor	N/A	N/A (4H1-002)

Lubricating Oil System

Oil Filter Hoses + Bracket	engine-mounted oil filter
Remote Oil Drain Hose + Valve	6G4-005

Fuel System

Fuel Filter Hoses + Bracket	5C7-034
-----------------------------	---------

Control System

Supplemental Harness (Short), OR	5Y5-081
Supplemental Harness (Long)	5Y5-085
Alternator Adapter Harness	5Y5-080
ECM Enclosure (with controls), OR	5Y3-088
ECM Enclosure (without controls)	5Y3-089
Extension Harness	6 FT, OR
	10 FT, OR
	20 FT
Murphy PowerView SAEJ1939 CAN Display, OR	5Y5-050
Remote Control Panel	5Y5-051
	5Y5-052
	5Y3-091
	5Y3-090
Mating Connector Kits (if above Control System kits are not used)	
Master	5Y5-025
Electric Fuel Pump	5Y5-042
Alternator	5Y5-044

Cooling System

Cooling Module (Radiator + Fuel Cooler)	5F1-247
Cooling Fan	push incl on eng pull incl on eng
Upper and Lower Coolant Hoses	5F1-243

Air Cleaner System

Air Cleaner, Bands, Pipes, and Hoses	5M3-088
--------------------------------------	---------

Exhaust System

Exhaust Pipe	5L2-082
Vertical Muffler w/Rain Cap	5L2-071

Service Diagnostic Tools

EMPS3 Diagnostic Tool (PC based)	X-99960-041-0
ECM Pin-Out Box	X-99960-042-0

For a reference drawing of the above and other kits, please see the next page (Turn-Key Accessories Model Views).

Many other optional kits are available, up to and including assembled power units.

For additional information and details, please go to www.isuzuengines-info.com

If you need assistance with access, navigation, etc., please contact your ISUZU representative.

4JJ1T ENGINE

Turn-Key Accessories Model Views

ISUZU
DIESEL

