

Turmdrehkran

Tower Crane / Grue à tour / Gru a torre
Grúa torre / Guindaste de torre

420 EC-H 10

420 EC-H 10 Litronic®

420 EC-H 10


420 EC-H 10 Litronic®

420 EC-H 16


420 EC-H 16 Litronic®

420 EC-H 20

420 EC-H 20 Litronic®









LIEBHERR



Hubhöhe


Hoisting height / Hauteur sous crochet / Altezza di sollevamento / Altura bajo gancho / Altura de montagem

	355 HC		500 HC			
13	—	—	78,2*	86,2*	—	—
12	—	—	72,4	80,4	84,7*	92,9*
11	—	—	66,6	74,6	78,9	87,1
10	72,4*	—	60,8	68,8	73,1	81,3
9	66,6	74,7*	55,0	63,0	67,3	75,5
8	60,8	68,9	49,2	57,2	61,5	69,7
7	55,0	63,1	43,4	51,4	55,7	63,9
6	49,2	57,3	37,6	45,6	49,9	58,1
5	43,4	51,5	31,8	39,8	44,1	52,3
4	37,6	45,7	26,0	34,0	38,3	46,5
3	31,8	39,9	20,2	28,2	32,5	40,7
2	26,0	34,1	14,4	22,4	26,7	34,9
1	20,2	28,3	8,6	16,6	20,9	29,1
0	14,4	22,5	2,8	10,9	15,1	23,3
	m	m	m	m	m	m
						

*  Weitere Hubhöhen sowie Klettern im Gebäude auf Anfrage. / Further hoist heights and climbing in the building on request.
 Hauteurs sous crochet plus élevées et hissage dans le bâtiment sur demande. / Altre altezze di sollevamento come pure varianti di gru allungabili: su richiesta. / Para alturas bajo gancho superiores y trepado en el interior del edificio, consultar. / Outras alturas de elevação e subida no edifício: conforme ao pedido.

		420 EC-H 10																		
m	r	m/kg																		
		34,0	36,0	38,0	40,0	43,0	45,0	48,0	50,0	53,0	55,0	58,0	60,0	63,0	65,0	68,0	70,0	73,0	75,0	
75,0 (r = 76,7)	2,7–32,6 10000	10000	8910	8370	7890	7250	6870	6350	6050	5630	5380	5030	4820	4530	4350	4100	3950	3730	3600	
70,0 (r = 71,7)	2,7–35,3 10000	10000	9790	9210	8680	7980	7570	7010	6680	6230	5950	5580	5350	5030	4840	4570	4400			
65,0 (r = 66,7)	2,7–38,6 10000	10000	10000	10000	9600	8830	8380	7780	7410	6920	6620	6210	5960	5610	5400					
60,0 (r = 61,7)	2,7–41,5 10000	10000	10000	10000	10000	9590	9100	8450	8060	7530	7210	6770	6500							
55,0 (r = 56,7)	2,7–43,8 10000	10000	10000	10000	10000	10000	9700	9020	8600	8040	7700									
50,0 (r = 51,7)	2,7–44,7 10000	10000	10000	10000	10000	10000	9930	9220	8800											
45,0 (r = 46,7)	2,7–44,6 10000	10000	10000	10000	10000	10000	9900													
40,0 (r = 41,7)	2,7–40,0 10000	10000	10000	10000	10000															


LM1



Antriebe

Driving units / Mécanismes d'entraînement / Azionamenti / Mecanismos / Mecanismos

	U/min 0 ↔ 0,6 sl./min tr./min	2 x 7,5 kW
	0 ↔ 91,0 m/min	10,5 kW FU
	25,0 m/min	4 x 7,5 kW (500 HC) 4 x 5,5 kW (355 HC)
	kVA	30 kW FU 37 kW FU 45 kW FU 54,0 59,0 67,0




Elmag-Hubwerke: siehe Broschüre „Zusätzliche Hubwerksvarianten“ / Hoist gears: see brochure „Additional hoist gear variants“
 Mécanismes de levage: voir brochure „Variantes supplémentaires du mécanisme de levage“ / Argani ad innesto elettromagnetico: vedere
 prospetto „argani alternativi“ / Mecanismos de elevación de Elmag: Ver folleto „Mecanismos de elevación adicionales“ / Mecanismos de
 elevacao de ELMAG: Ver Folheto „Mecanismos de elevação adicionais“

														420 EC-H 10 Litronic®							
m	r	m/kg	m/kg																		
			34,0	36,0	38,0	40,0	43,0	45,0	48,0	50,0	53,0	55,0	58,0	60,0	63,0	65,0	68,0	70,0	73,0	75,0	
75,0 (r = 76,7)	2,7 – 35,9 10000	10000	9960	9360	8890	8120	7700	7140	6800	6340	6060	5680	5450	5130	4930	4650	4490	4250	4100		
70,0 (r = 71,7)	2,7 – 39,1 10000	10000	10000	10000	9730	8960	8500	7890	7520	7020	6720	6300	6050	5700	5480	5190	5000				
65,0 (r = 66,7)	2,7 – 42,0 10000	10000	10000	10000	10000	9740	9250	8590	8190	7650	7330	6880	6610	6230	6000						
60,0 (r = 61,7)	2,7 – 44,6 10000	10000	10000	10000	10000	10000	9910	9200	8780	8210	7860	7390	7100								
55,0 (r = 56,7)	2,7 – 46,3 10000	10000	10000	10000	10000	10000	10000	9590	9150	8560	8200										
50,0 (r = 51,7)	2,7 – 46,9 10000	10000	10000	10000	10000	10000	10000	9740	9300												
45,0 (r = 46,7)	2,7 – 45,0 10000	10000	10000	10000	10000	10000	10000														
40,0 (r = 41,7)	2,7 – 40,0 10000	10000	10000	10000	10000																



IM1 + IM2

LM1 + LM2



Antriebe

Driving units / Mécanismes d'entraînement / Azionamenti / Mecanismos / Mecanismos



LM 2 Abweichende Geschwindigkeiten und Betriebsbedingungen. / Variant speeds and service conditions. / Vitesses et conditions de fonctionnement différentes. / Differenti velocità e condizioni di funzionamento. / Otras velocidades y características de funcionamiento. / Outras velocidades e características de funcionamento.

Montagegewichte: siehe Betriebsanleitung. / Erection weights: see instruction manual. / Poids de montage: voir manuel de service.
Pesi di montaggio: vedasi le istruzioni sull'uso. / Pesos de montagem: vejäm-se es instruções p. uso. / Peso para el montaje: según manual.

Kranoberteil		Upper part of crane / Partie supérieure de grue / Parte superiore della gru		L (m)		B (m)		H (m)		kg*	
Pos. Item Rep Voce Pos. Ref	Anz. Qty. Qta. Cant. Cant.										
1	1	Drehbühne kpl. / Slewing platform cpl. Ensemble mât cabine cpl. / Piattaforma girevole compl. / Conjunto plataforma de giro Plataforma giratória compl.			6,14	2,87	3,18	15000			
2	1	Turmspitze / Tower head section Porte-flèche / Testa porta-braccio Cabeça de apiao de lança / Cabeza de torre			9,40	1,76	1,94	3450			
3	1	Gegenausleger-Kopfstück / Counter-jib head Pointe de contre-flèche / Testa di controbraccio Tramo punta de contrapluma / Cabeça de contra-lança			8,73	2,38	1,05	3740			
4	1	Gegenausleger-Anlenkstück / Counter-jib heel section / Pied de contre-flèche / Settore articolato di controbraccio / Tramo primero-contrapluma Base articulada da contra-lança			9,08	1,93	1,05	3210			
5	1	Gegenausleger-Zwischenstück / Intermediate counter-jib section / Élément interm. de contre-flèche Spezzone di controbraccio / Tramo intermedio de contrapluma / Peça suplementar da contra-lança			7,20	1,87	1,05	2720			
6	1	Ausleger-Anlenkstück / Jib heel section Pied de flèche / Settore articolato di braccio Base articulada de lança / Pluma tramo primero			12,26	1,93	2,05	① 3500			
7	1	Ausleger-Zwischenstück / Intermediate jib section / Élément intermédiaire de flèche Spezzone di braccio / Peça suplementar da lança / Tramo intermedio pluma			10,28 10,30 12,33 5,38 10,34 10,27 5,21	1,76 1,76 1,76 1,76 1,76 1,76 1,76	1,99 1,98 1,99 1,97 1,96 1,94 1,94	② 2075 ③ 2040 ④ 2510 ⑤ 985 ⑥ 1500 ⑦ 1000 ⑧ 485			
8	1	Ausleger-Kopfstück / Jib head Pointe de flèche / Punta freccia Cabeça de lança / Tramo punta de pluma			1,83	1,93	1,91	⑨ 270			
9	1	Laufkatze und Lasthaken / Trolley and hook Chariot de distribution et crochet / Carrello con gancio Carrito y gancho / Carro de ponte e gancho			2,24	2,07	1,79	1020			
10	1	Hubwerkseinheit (45 kW) / Hoist gear unit / Treuil de levage / Gruppo meccanismo sollevamento / Mecanismo de elevación / Grupo de mecanismo elevatório			2,06	2,69	1,60	4000			
Turm Tower / Mât / Torre Torre / Torre											
11	10 13	Turmstück / Tower section Élément de mât / Elemento di torre Torre / Torre			355 HC 500 HC	6,28 6,28	2,45 2,45	2,45 2,45	5050 6400		
12	1	Grundturmstück / Base tower section Mât de base / Elemento di torre base Tramo torre base / Peça de base de torre			355 HC	12,08	2,45	2,45	9770		
Klettereinrichtung Climbing equipment / Equipement de télescopage / Attrezzatura per allungamento della gru Equipo de trepado / Acessórios p. subida no edifício											
13	1	Führungsstück kpl., geteilt / Guide section cpl., split Cage télescopique cpl., divisée / Gabbia de sopraele vazione compl., suddivisa / Torre de montaje, dividida Peça de guia, subdividida			355 HC 500 HC	12,39	2,75	1,58	9070		
14	1	Hydraulikanlage, Stütz- und Klettertraverse / Hydraulic unit, supporting and climbing cross members / Système hydraulique avec traverses d'appui et de télescopage / Sistema idraulico, traversa di appoggio e allungamento gru Instalação hidráulica, tavessa de apoio e subida / Sistema hidráulico con traviesa de apoyo y trepado			355 HC 500 HC	2,10	1,10	1,00	1100		
Unterwagen Undercarriage / Châssis / Carro della gru Carro con mástil / Carro de guindaste											
15	4	Ausgleichsschwinge mit Schwingenlager / Pivot for wheel box / Chape pour bogie / Bilanciere di equilibratura con cuscinetto bilanciere / Balancin Balancim com suporte			355 HC 500 HC	1,60	0,72	1,48	1390 1470		
16	4	Fahrschemel mit Antrieb / Rail bogie with drive Bogie moteur / Telaio con gruppo propulsore Quadro sem grupo de propulsão / Caja rodillo motriz			355 HC 500 HC	1,40 1,45	0,75 0,82	0,65 0,72	920 1690		
17	4	Fahrschemel ohne Antrieb / Rail bogie without drive Bogie fou / Telaio senza gruppo propulsore / Quadro com grupo de propulsão / Caja rodillo conducido			355 HC 500 HC	1,10 1,30	0,60 0,40	0,65 0,72	880 1340		
18	1	Tragholm lang / Long support arm Longeron long / Longherone lungo Brazo largo soporte / Travessa comprida			355 HC 500 HC	11,82 7,32	0,92 0,92	0,93 0,93	3515 2330		
19	2	Tragholm kurz / Short support arm Longeron court / Longherone corto Brazo corto soporte / Travessa curta			355 HC 500 HC	5,74 7,14	0,80 0,80	0,90 0,90	1600 2135		
20	4	Randträger / Border support Traverse / Supporti base Traviesa / Apoio de bordo			355 HC 500 HC	7,30 9,30	0,14 0,14	0,14 0,14	340 510		
21	4	Stützholm / Support strut Hauban de châssis / Correnti di appoggio Tirante vertical / Travessa de apoio			355 HC 500 HC	6,06 6,06	0,26 0,26	0,34 0,34	862 1140		

Pos. Item Rep Voce Pos. Ref	Anz. Qty. Qte. Qta. Cant. Cant.	https://truckmanualshub.com/				L (m)	B (m)	H (m)	kg*
22	1	Unterwagen-Turmstück / Undercarriage tower section Mât de châssis / Elemento di torre del carro Tramo de carro / Peça de torre do chassis			355 HC 500 HC	6,61 6,61	2,44 2,44	2,44 2,44	7475 7930
23	1	Kiste mit Kleinteilen, Seilen / Crate with small parts, ropes Caisse contenant des accessoires, câbles / Cassa con minuteria, funi Caja con piezas pequeñas, cables / Caixa com peças pequenas, cabos			355 HC 500 HC	2,00	1,00	1,00	1000
* Einzelgewichte. / Single weights. / Poids individuels. / Pesì di componenti. / Pesos de peças componentes. / Pesos unitarios.									

Konstruktionsänderungen vorbehalten!
Subject to alterations! / Sous réserves de modifications!
Si fa riserva di modifiche! / Salvo modificação da construação!
¡Sujeto a modificaciones!

Sämtliche Angaben erfolgen ohne Gewähr. / This information is supplied without liability.
Ces renseignements sont sans garantie. / Le indicazioni contenute si intendono salvo errori ed omissioni.
Declinamos toda responsabilidad derivada de la información proporcionada. / Declinamos qualquer
responsabilidade quanto à informação fornecida.