

GO PRO

CAUTION: • Do not weld or drill on chassis frame. • Accessories, colour & features as shown in the picture or elsewhere may not constitute to standard fitment. • As a result of continuous research & innovations carried out, specifications are merely indicative & are subject to change without notice.  
• Weight mentioned is for standard configuration with standard body size & will change due to optional fitments.

**EICHER TRUCKS AND BUSES**  
VE Commercial Vehicles Ltd.  
# 96, Institutional Area,  
3<sup>rd</sup> Floor, Sector 32  
Gurgaon-122001, Haryana.

**VE COMMERCIAL VEHICLES**  
A VOLVO GROUP AND EICHER MOTORS JOINT VENTURE

www.eicher.in/etb |    /Eicher Trucks and Buses |  @ETBIndia

**Registered Office**  
CIN: U74900DL2008PLC175032  
3rd Floor Select Citywalk,  
A-3 District Centre, Saket,  
New Delhi - 110017, India.  
Email - info@vecv.in

Eicher **Pro** Series

TRUCKS AND BUSES

**TRUSTED PARTNER FOR  
ALL YOUR NEEDS.**

BEST-IN-CLASS FUEL EFFICIENCY, HIGHER RELIABILITY AND LOW MAINTENANCE.



GO PRO

PARTNERSHIP WITH  
THE VOLVO GROUP.

Two leading players in the commercial vehicle business joined hands in 2008 with a convergent vision of driving modernization in commercial transportation in India and developing world. Volvo Group, the world's leading manufacturer of trucks, buses, construction equipments and marine and industrial engines, brought its global expertise and world-class technology, while Eicher Motors brought its frugal engineering and deep knowledge of the developing markets. The mission of this joint venture – VE Commercial Vehicles Ltd. is to raise the standard of the commercial transportation industry and take it to a new professional level. Eicher, the flagship brand, is taking the lead in ushering in the future of Indian trucking.

For 30 years, we have maintained a great association with the government. An association that entitles full support in all of the government endeavors. Working together for a better future, we have given the best of technology and performance to our customers. Walking together hand in hand with the government has taken us to a whole new level. And it's our mutual commitment and dedication that has resulted in our strong partnership.

INDEX

|                                                |       |
|------------------------------------------------|-------|
| ▪ GLOBAL MANUFACTURING PLANT                   | 1-2   |
| ▪ EICHER LMD SERIES                            | 3-6   |
| ▪ EICHER PRO TROOP CARRIER & PRISON VAN SERIES | 7-8   |
| ▪ EICHER WATER TANKER SERIES                   | 9-10  |
| ▪ EICHER BUS SERIES                            | 11-14 |
| ▪ EICHER HD SERIES                             | 15-18 |
| ▪ EICHER NETWORK                               | 19    |



## GLOBAL STANDARD MANUFACTURING PLANT.

The Eicher Pro Series has been designed and developed in a modern and high-tech manufacturing facility in Pithampur, near Indore. The next-generation engine plant, built in collaboration with the Volvo Group, not only manufactures Euro IV heavy-duty engines but also supplies Euro VI engines internationally to the Volvo Group.

ISO/TS- 16949: 2009 Complaint Eicher  
Manufacturing Facility  
(Automotive Certification)

EnMS- 50001: 2011  
(Energy Management System)

ISO: 14001: 2004  
(Environment Management System)

BS OHSAS: 18001: 2007  
(EHS- Environment, Health & Safety)

## GLOBAL TECHNOLOGY MEETS FRUGAL ENGINEERING.

The completely new chassis and assembly line have been built to balance high technology with frugal engineering. The state-of-the-art manufacturing process which includes a robotic cab weld shop, CED paint shop and a 100% hot test facility, ensures quality and reliability of international standards.



EICHER LMD SERIES

Eicher Pro1000 in the 4.9 - 15t GVW segment is the new enhanced LMD range for the value segment. These trucks have an aerodynamic cabin with new modern styling and value added features for comfort, convenience and easy drivability. They have the trusted and proven engine with mechanical pump giving best-in-class efficiency with very low maintenance cost.

LMD SERIES



Eicher Pro 1110XP



Eicher Pro 1110

|                   |     |                                                         |      |           |      |      |      |                                                         |           |      |      |      |
|-------------------|-----|---------------------------------------------------------|------|-----------|------|------|------|---------------------------------------------------------|-----------|------|------|------|
| GVW               | kgs | 12976                                                   |      |           |      |      |      | 11950                                                   |           |      |      |      |
| Emission Norm     |     | BSIV                                                    |      |           |      |      |      | BSIV                                                    |           |      |      |      |
| Engine Type       |     | E494 4 cyl, 4V CRS Engine with Volvo Group EMS 3.0      |      |           |      |      |      | E494 4 cyl, 4V CRS Engine with Volvo Group EMS 3.0      |           |      |      |      |
| Engine Power      |     | 101Kw (~135 HP) @ 2600 rpm                              |      |           |      |      |      | 101Kw (~135 HP) @ 2600 rpm                              |           |      |      |      |
| Engine Torque     |     | 450Nm @ 1200-1800 rpm                                   |      |           |      |      |      | 450Nm @ 1200-1800 rpm                                   |           |      |      |      |
| Transmission      |     | 6 Speed - Eicher 4M6S                                   |      |           |      |      |      | 6 Speed - Eicher 4M6S                                   |           |      |      |      |
| Brake             |     | Service: Dual Circuit, full air S cam with VOSS fitment |      |           |      |      |      | Service: Dual Circuit, full air S cam with VOSS fitment |           |      |      |      |
| Tyre Size         |     | 8.25 x 20 - 16 PR                                       |      |           |      |      |      | 8.25 x 20 - 16 PR                                       |           |      |      |      |
| Wheel Base        | mm  | 3800                                                    |      | 4300      |      | 5050 |      | 3800                                                    | 4300      |      | 5050 |      |
| Cargo Body Length | mm  | 4431                                                    | 5252 | 5805      | 6100 | 6776 | 7357 | 5252                                                    | 5805      | 6100 | 6776 | 7357 |
|                   | ft  | 14.5                                                    | 17.2 | 19        | 20   | 22   | 24   | 17.2                                                    | 19        | 20   | 22   | 24   |
| Cargo Body Width  | mm  | 2212                                                    | 2125 | 2125/2284 | 2125 | 2125 | 2284 | 2125                                                    | 2125/2284 | 2125 | 2125 | 2284 |
|                   | ft  | 7.2                                                     | 7    | 7 / 7.5   | 7    | 7    | 7.5  | 7                                                       | 7 / 7.5   | 7    | 7    | 7.5  |
| Body Options      |     | CBC/FSD/DSD/HSD                                         |      |           |      |      |      | CBC/FSD/DSD/HSD                                         |           |      |      |      |
| Applications      |     | Fire Trucks/ Municipal                                  |      |           |      |      |      | Fire Trucks/ Municipal                                  |           |      |      |      |

Along with a completely new Pegasus front look styling across the product family, the new range of vehicles is a quantum leap in each and every aspect of exterior design, engine technology and cabin features.

LMD SERIES



Eicher Pro **1095XP**



Eicher Pro **1095**



Eicher Pro **1090**

| Model             |     | Eicher Pro 1095XP                                    | Eicher Pro 1095                                      | Eicher Pro 1090                          |
|-------------------|-----|------------------------------------------------------|------------------------------------------------------|------------------------------------------|
| GVW               | kgs | 10700                                                | 9500                                                 | 8720                                     |
| Emission Norm     |     | BSIV                                                 | BSIV                                                 | BSIV                                     |
| Engine Type       |     | E 483 4 cyl 2 V CRS Engine                           | E 483 4 cyl 2 V CRS Engine                           | E 483 4 cyl 2 V CRS Engine               |
| Engine Power      |     | 80Kw (~110 HP) @ 2600 rpm                            | 80Kw (~110 HP) @ 2600 rpm                            | 80Kw (~110 HP) @ 2600 rpm                |
| Engine Torque     |     | 350Nm @ 1200-1800 rpm                                | 350Nm @ 1200-1800 rpm                                | 350Nm @ 1200-1800 rpm                    |
| Transmission      |     | 5 Speed - Eicher 35M5R                               | 5 Speed - Eicher 35M5R                               | 5 Speed - Eicher 35M5R                   |
| Brake             |     | Service: Dual Circuit, full air S cam with APDA unit | Service: Dual Circuit, full air S cam with APDA unit | Service: Hydraulic Brake Vaccum Assisted |
| Tyre Size         |     | 8.25 x 16 - 16 PR                                    | 8.25 x 16 - 16 PR                                    | 7.50 x 16 - 16 PR                        |
| Wheel Base        | mm  | 3515/3765/4065/4265/4765                             | 3515/3765/4065/4760                                  | 3515/3765                                |
| Cargo Body Length | mm  | 4315/4960/5346/5804/6104/6626                        | 4315/4960/5346/6626                                  | 4315/4960                                |
|                   | ft  | 14.1/16.2/17.6/19/20/21.5                            | 14.1/16.2/17.6/21.5                                  | 14.1/16.2                                |
| Cargo Body Width  | mm  | 2007/2007/2007/2127/2127/2007                        | 2007                                                 | 2007                                     |
|                   | ft  | 6.6/6.6/6.6/7/7/6.6                                  | 6.6                                                  | 6.6                                      |
| Body Options      |     | CBC/FSD/DSD/HSD                                      | CBC/FSD/DSD/HSD                                      | CBC/FSD/DSD/HSD                          |
| Applications      |     | Fire Trucks/ Municipal                               | Fire Trucks/ Municipal                               | Fire Trucks/ Municipal                   |

Along with a completely new Pegasus front look styling across the product family, the new range of vehicles is a quantum leap in each and every aspect of exterior design, engine technology and cabin features.

LMD SERIES



Eicher Pro **1075**



Eicher Pro **1059**



Eicher Pro **1055**

| Model             |     | Eicher Pro 1075                          | Eicher Pro 1059                          | Eicher Pro 1055                          |
|-------------------|-----|------------------------------------------|------------------------------------------|------------------------------------------|
| GVW               | kgs | 7450                                     | 6450                                     | 6250                                     |
| Emission Norm     |     | BSIV                                     | BSIV                                     | BSIV                                     |
| Engine Type       |     | E 483 4 cyl 2 V CRS Engine               | E 483 4 cyl 2 V CRS Engine               | E 483 4 cyl 2 V CRS Engine               |
| Engine Power      |     | 80Kw (~110 HP) @ 2600 rpm                | 70Kw (~95 HP) @ 2600 rpm                 | 70Kw (~95 HP) @ 2600 rpm                 |
| Engine Torque     |     | 350Nm @ 1200-1800 rpm                    | 300Nm @ 1200-1800 rpm                    | 300Nm @ 1200-1800 rpm                    |
| Transmission      |     | 5 Speed - Eicher 35M5R                   | 5 Speed - Eicher 3M5D                    | 5 Speed - Eicher 3M5D                    |
| Brake             |     | Service: Hydraulic Brake Vaccum Assisted | Service: Hydraulic Brake Vaccum Assisted | Service: Hydraulic Brake Vaccum Assisted |
| Tyre Size         |     | 7.50 x 16 - 16 PR                        | 8.25 x 16 - 16 PR                        | 7.50 x 16 - 16 PR                        |
| Wheel Base        | mm  | 2815/3515/3765/4065                      | 2750/3350                                | 2815                                     |
| Cargo Body Length | mm  | 3680/4315/4960/5346                      | 3077/4319                                | 3068                                     |
|                   | ft  | 12/14.1/16.2/17.6                        | 10/14.1                                  | 10                                       |
| Cargo Body Width  | mm  | 2007                                     | 2007                                     | 1850                                     |
|                   | ft  | 6.6                                      | 6.6                                      | 6                                        |
| Body Options      |     | CBC/FSD/DSD/HSD                          | CBC/HSD                                  | CBC/FSD                                  |
| Applications      |     | Fire Trucks/ Municipal                   | Fire Trucks/ Municipal                   | Fire Trucks/ Municipal                   |

Along with a completely new Pegasus front look styling across the product family, the new range of vehicles is a quantum leap in each and every aspect of exterior design, engine technology and cabin features.



**EICHER PRO  
TROOP CARRIER &  
PRISON VAN SERIES.**

*Eicher Troop Carrier is one of the most profitable products of the Eicher Pro Philosophy. It offers best-in-class fuel mileage, faster trips and highest rated payload along with superior driving comfort. Its robust and rugged aggregates provide higher reliability, durability and lower maintenance cost. Aptly known as the Mileage Ka Badshah, Eicher Troop Carrier ensures high profitability and prosperity of its owner.*

**LMD SERIES**



STTC



Prison Van



HTTC

| Products         | STTC                     |                          |                          | Prison Van               | Eicher Pro HTTC          |
|------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| Model            | Pro 1050                 | Pro 1075                 | Pro 1095                 | Pro 1075                 | Pro 1075                 |
| GVW (kg)         | 5400                     | 7450                     | 9500                     | 7450                     | 7450                     |
| Seating Capacity | 17                       | 25                       | 29                       | 25                       | 27                       |
| Wheel Base (mm)  | 2750                     | 3515                     | 4065                     | 3515                     | 3765                     |
| Emission Norm    | BSIV                     | BSIV                     | BSIV                     | BSIV                     | BSIV                     |
| Engine Type      | E483 4Cyl 2 V CRS        | E483 4Cyl 2V CRS         | E483 4Cyl 2V CRS         | E483 4Cyl 2V CRS         | E483 4Cyl 2V CRS         |
| Engine Power     | 70Kw (~95 HP) @ 2600 rpm | 80Kw (~110HP) @ 2600 rpm | 80Kw (~110HP) @ 2600 rpm | 80Kw (~110HP) @ 2600 rpm | 80Kw (~110HP) @ 2600 rpm |
| Engine Torque    | 300Nm @ 1200-1800 rpm    | 350Nm @ 1200-1800 rpm    | 350Nm @ 1200-1800 rpm    | 350Nm @ 1200-1800 rpm    | 350Nm @ 1200-1800 rpm    |
| Transmission     | 5 Speed - Eicher 3M5D    | 5 Speed - Eicher 35M5R   | 5 Speed - Eicher 35M5R   | 5 Speed - Eicher 35M5R   | 5 Speed - Eicher 35M5R   |
| Brake            | Hydraulic Brake          | Hydraulic Brake          | Hydraulic Brake          | Hydraulic Brake          | Hydraulic Brake          |
| Tyre Size        | 7.50 x 16 - 16 PR        | 7.50 x 16 - 16 PR        | 8.25 x 16 - 16 PR        | 7.50 x 16 - 16 PR        | 7.50 x 16 - 16 PR        |
| ABS              | Yes                      | Yes                      | Yes                      | Yes                      | Yes                      |

Along with a completely new Pegasus front look styling across the product family, the new range of vehicles is a quantum leap in each and every aspect of exterior design, engine technology and cabin features.

## Eicher Water Tanker SERIES

Truck mounted non-potable water tanker works as a container for storing water. These are mobile water tanks deployed to distribute water in emergency situations where the normal system of water distribution is broken down or not available.

Truck mounted water tankers are used for different applications like transporting water for irrigation, fire suppression & industrial usages etc. Truck mounted water tankers are available in different capacities based on the requirements of customers.



### WATER TANK SERIES



Eicher Pro **1075**



Eicher Pro **1090**



Eicher Pro **1110**



Eicher Pro **5016**

| Model                      | Eicher Pro 1075 Water Tanker                   | Eicher Pro 1090 Water Tanker                   | Eicher Pro 1110 Water Tanker                   | Eicher Pro 5016 Water Tanker                   |
|----------------------------|------------------------------------------------|------------------------------------------------|------------------------------------------------|------------------------------------------------|
| GVW (kgs)                  | 7450                                           | 8720                                           | 11990                                          | 16200                                          |
| Wheelbase (mm)             | 3515                                           | 3515                                           | 3800                                           | 4300                                           |
| Water Tanker Capacity (kl) | 3.5                                            | 5                                              | 6                                              | 9                                              |
| Emission                   | BSIV                                           | BSIV                                           | BSIV                                           | BSIV                                           |
| Fuel Type                  | Diesel                                         | Diesel                                         | Diesel                                         | Diesel                                         |
| Engine Type                | E483 4Cyl 2V CRS                               | E483 4Cyl 2V CRS                               | E494 4Cyl 4V CRS with volvo group EMS 3.0      | E694 5.7 liter with i3 EGR technology          |
| Engine Power               | 80Kw (~110HP) @ 2600 rpm                       | 80Kw (~110HP) @ 2600 rpm                       | 101Kw (~135HP) @ 2600 rpm                      | 170HP @ 2400 rpm                               |
| Engine Torque              | 350Nm @ 1200-1800 rpm                          | 350Nm @ 1200-1800 rpm                          | 450Nm @ 1200-1800 rpm                          | 620Nm @ 1200-1900 rpm                          |
| Transmission               | Eicher 35M5R                                   | Eicher 35M5R                                   | Eicher 4MS6                                    | ET706S                                         |
| Gear Type                  | 5 Speed (5 forward, 1 reverse) with hybrid GSL | 5 Speed (5 forward, 1 reverse) with hybrid GSL | 6 Speed (6 forward, 1 reverse) with hybrid GSL | 6 Speed (6 forward, 1 reverse) with hybrid GSL |
| Brake                      | Hydraulic Brake                                | Hydraulic Brake                                | Air Brake                                      | Air Brake                                      |
| Steering                   | Manual Steering                                | Manual Steering                                | Manual Steering                                | Tilt & telescopic Hydraulic Power Steering     |
| Tyre Size                  | 7.50 x 16 - 16PR                               | 7.50 x 16 - 16PR                               | 8.25 x 20 - 16PR                               | 10R20 16PR                                     |

Along with a completely new Pegasus front look styling across the product family, the new range of vehicles is a quantum leap in each and every aspect of exterior design, engine technology and cabin features.

EICHER BUS SERIES

Eicher's range of Buses and Chassis is a contemporary offering of superior vehicle performance with safety features, superior comfort and redefined styling, trusted by the customers for best-in-class fuel efficiency.



BUS SERIES



Eicher Skyline Pro **3008**  
(36+1 HHR Seats)



Eicher Skyline Pro **3009**  
(44+1 HHR Seats)



Eicher Skyline **20.15**  
(57+1 and 62+1 HHR Seats)

| PARAMETERS           | Skyline Pro 3008                     | Skyline Pro 3009                     | 20.15 N Skyline                      |
|----------------------|--------------------------------------|--------------------------------------|--------------------------------------|
| Wheelbase (mm)(inch) | 4330 (171")                          | 5260 (207")                          | 5840 (230") and 5340 (210")          |
| Overall Length (m)   | 8.923                                | 10.395                               | 11.14 and 10.39                      |
| Overall W/ H (mm)    | 2345/2863                            | 2345/2863                            | 2590/3175                            |
| Engine Make          | E494 4V CRS BSIV                     | E494 4V CRS BSIV                     | E694 4V CRS BSIV EGR                 |
| Power                | 120 HP @ 2600 rpm                    | 120 HP @ 2600 rpm                    | 190 HP @ 2400 rpm                    |
| Torque               | 400 Nm @ 1400-1600 rpm               | 400 Nm @ 1400-1600 rpm               | 715 Nm @ 1200-1800 rpm               |
| Transmission Make    | ET40S5                               | ET40S5                               | ET70S6                               |
| Type                 | 5 speed synchromesh                  | 5 speed synchromesh                  | 6 Speed with overdrive synchromesh   |
| Clutch               | 310 mm dia with clutch booster       | 310 mm dia with clutch booster       | 395 mm dia with clutch booster       |
| Brakes               | Dual circuit 'S' cam full air brakes | Dual circuit 'S' cam full air brakes | Dual circuit 'S' cam full air brakes |
| Tyres                | 235/75R17.5 - 14 PR Tubeless         | 235/75R17.5 - 14 PR Tubeless         | 10R20 - 16 PR                        |
| Suspension           | Parabolic                            | Parabolic                            | Front and Rear weveller suspension   |
| Steering             | Power steering, tilt and telescopic  | Power steering, tilt and telescopic  | Power steering, tilt and telescopic  |
| Fuel Tank Capacity   | 100 Ltrs                             | 160 Ltrs                             | 250 Ltrs                             |

Chassis version also available in all the bus variants

BUS SERIES



Eicher Starline **12.12 K**  
(50+1 HHR Seats)



Eicher Starline **10.90 L**  
(39+1+1 HHR Seats)



Eicher Starline **10.75 H**  
(31+1+1 HHR Seats)

| PARAMETERS            | 12.12 K Starline                     | 10.90 L Starline                     | 10.75 H Starline                     |
|-----------------------|--------------------------------------|--------------------------------------|--------------------------------------|
| Wheelbase (mm) (inch) | 4650 (183")                          | 5165 (203")                          | 4265 (168")                          |
| Overall Length (m)    | 9.7                                  | 9.269                                | 7.828                                |
| Overall W/H (mm)      | 2470/3190                            | 2160/2840                            | 2160/2770                            |
| Engine Make           | E494 4V CRS BSIV                     | E483 CRS BSIV                        | E483 CRS BSIV                        |
| Power                 | 134 HP @ 2600 rpm                    | 107 HP @ 2600 rpm                    | 107 HP @ 2600 rpm                    |
| Torque                | 450 Nm @ 1200 - 1800 rpm             | 350 Nm @ 1200-1800 rpm               | 350 Nm @ 1200-1800 rpm               |
| Transmission Make     | ET40S6                               | ET35S5                               | ET35S5                               |
| Type                  | 6 Speed overdrive synchromesh        | 5 Speed synchromesh                  | 5 Speed synchromesh                  |
| Clutch                | 330 mm dia with clutch booster       | 310 mm dia with clutch booster       | 310 mm dia with clutch booster       |
| Brakes                | Dual circuit 'S' cam full air brakes | Dual circuit 'S' cam full air brakes | Dual circuit 'S' cam full air brakes |
| Tyres                 | 8.25x20 - 16 PR                      | 8.25x16 - 16 PR                      | 7.50x16 - 16 PR                      |
| Suspension            | Semi-elliptical                      | Semi-elliptical                      | Semi-elliptical                      |
| Steering              | Power steering, tilt and telescopic  | Power steering, tilt and telescopic  | Power steering, tilt and telescopic  |
| Fuel Tank Capacity    | 185 Ltrs                             | 100 Ltrs                             | 100 Ltrs                             |

Chassis version also available in all the bus variants.

BUS SERIES



Eicher Starline **10.75 E**  
(23+1+1 HHR Seats)



Eicher Starline **10.50 E**  
(19+1+1 HHR Seats)



Eicher Starline **10.50 C**  
(15+1+1 HHR Seats)

| PARAMETERS           | 10.75 E Starline                     | 10.50 E Starline            | 10.50 C Starline            |
|----------------------|--------------------------------------|-----------------------------|-----------------------------|
| Wheelbase (mm)(inch) | 3515 (138")                          | 3350 (132")                 | 2750 (108")                 |
| Overall Length (m)   | 6.629                                | 5.905                       | 4.965                       |
| Overall W/H (mm)     | 2160/2770                            | 2125/2750                   | 2125/2750                   |
| Engine Make          | E483 CRS BSIV                        | E483 CRS BSIV               | E483 CRS BSIV               |
| Power                | 107 HP @ 2600 rpm                    | 94 HP @ 2600 rpm            | 94 HP @ 2600 rpm            |
| Torque               | 350 Nm @ 1200-1800 rpm               | 300 Nm @ 1200-1800 rpm      | 300 Nm @ 1200-1800 rpm      |
| Clutch               | 310 mm dia with clutch booster       | 275 mm dia                  | 275 mm dia                  |
| Transmission Make    | ET35S5                               | ET30S5                      | ET30S5                      |
| Type                 | 5 Speed synchromesh                  | 5 Speed synchromesh         | 5 Speed synchromesh         |
| Brakes               | Dual circuit 'S' cam full air brakes | Hydraulic brakes            | Hydraulic brakes            |
| Tyres                | 7.50x16 - 16 PR                      | 8.25x16 - 16 PR             | 8.25x16 - 16 PR             |
| Suspension           | Semi-elliptical                      | Semi-elliptical             | Semi-elliptical             |
| Steering             | Power steering, tilt and telescopic  | Manual, tilt and telescopic | Manual, tilt and telescopic |
| Fuel Tank Capacity   | 100 Ltrs                             | 60 Ltrs                     | 60 Ltrs                     |

Chassis version also available in all the bus variants.



**Eicher Pro 5000 SERIES**  
Eicher Pro 5000 series is a new range of highly durable and reliable BSIV Trucks with i3 EGR technology from 170HP to over 190HP and 16T to 40T GVW which caters to the need of the growing CV Industry across different segments; these trucks are designed to deliver Best-in-class fuel efficiency, optimized operational cost leading to quick returns on investment.

**Eicher Pro 6000 SERIES**  
Eicher Pro 6000 series is the next-gen range of BSIV Trucks with SCR Technology from 180HP to 250HP and 25T to 40T GVW creating benchmarks for performance, reliability and higher productivity redefining the trucking experience with its overall lifetime profitability.

HD SERIES



Eicher Pro **5016**



Eicher Pro **5025**



Eicher Pro **5031**

|                |                                                                                                      |                                                                                                      |                                                                                                      |
|----------------|------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|
| Model          | Eicher Pro 5016                                                                                      | Eicher Pro 5025                                                                                      | Eicher Pro 5031                                                                                      |
| GVW (Kgs)      | 16200                                                                                                | 25000                                                                                                | 31000                                                                                                |
| Wheelbase (mm) | 4300/4800/5340/6260                                                                                  | 4900/5260/6600                                                                                       | 5590/6600                                                                                            |
| Engine Type    | E694 5.7 liter CRS with i3 EGR Technology                                                            | E694 5.7 liter CRS with i3 EGR Technology                                                            | E694 5.7 liter CRS with EGR i3 Technology                                                            |
| Engine Power   | 170 HP @ 2400 rpm                                                                                    | 192 HP @ 2400 rpm                                                                                    | 192 HP @ 2400 rpm                                                                                    |
| Engine Torque  | 620 Nm @ 1200-1900 rpm                                                                               | 715 Nm @ 1200-1800 rpm                                                                               | 715 Nm @ 1200-1800 rpm                                                                               |
| Gearbox        | ET70S6, 6 Forward & 1 Reverse                                                                        | ET90S6, 6 Forward & 1 Reverse                                                                        | ET90S6, 6 Forward & 1 Reverse                                                                        |
| Chassis Type   | "C" Channel ladder type frame, 230x76x6 mm                                                           | "C" Channel ladder type frame, 285x76x6 mm                                                           | "C" Channel ladder type frame, 285x76x6 mm                                                           |
| Brakes         | Service Brake: Dual circuit full air "S" cam<br>Parking Brake: Full air hand operated on rear wheels | Service Brake: Dual circuit full air "S" cam<br>Parking Brake: Full air hand operated on rear wheels | Service Brake: Dual circuit full air "S" cam<br>Parking Brake: Full air hand operated on rear wheels |
| Electricals    | 24V                                                                                                  | 24V                                                                                                  | 24V                                                                                                  |
| Tyres          | 10R20 - 16PR                                                                                         | 10R20 - 16PR                                                                                         | 10R20 - 16PR                                                                                         |
| Variants       | CBC & FBT - 18 ft/ 20 ft/ 24 ft<br>CWC - 18 ft/ 20 ft/ 24 ft / 32 ft                                 | FBT - 24 ft<br>CBC- 24 ft/ 31 ft<br>CWC - 24 ft/ 32 ft                                               | FBT - 24 ft/ 26 ft<br>CBC- 24 ft/ 26 ft/ 31 ft<br>CWC - 24 ft/ 26 ft/ 32 ft                          |
| Application    | Fire Trucks/ Municipal                                                                               | Fire Trucks/ Municipal                                                                               | Fire Trucks/ Municipal                                                                               |

Along with a completely new Pegasus front look styling across the product family, the new range of vehicles is a quantum leap in each and every aspect of exterior design, engine technology and cabin features.

HD SERIES



Eicher Pro **6025**



Eicher Pro **6031**



Eicher Pro **6037**

|                     |                                                                                |                                                                                                |                                                                                |
|---------------------|--------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------|
| Model               | Eicher Pro 6025                                                                | Eicher Pro 6031                                                                                | Eicher Pro 6037                                                                |
| Emission Technology | SCR                                                                            | SCR                                                                                            | SCR                                                                            |
| GVW (Kgs)           | 25000                                                                          | 31000                                                                                          | 37000                                                                          |
| Wheelbase (mm)      | 4900/5300/6600                                                                 | 6150/6600                                                                                      | 6600                                                                           |
| Engine              | VEDX5 BSIV                                                                     | VEDX5 BSIV                                                                                     | VEDX5 BSIV                                                                     |
| Engine Power        | 180 HP @ 2200 rpm                                                              | 210 HP @ 2200 rpm                                                                              | 210 HP @ 2200 rpm                                                              |
| Engine Torque       | 750 Nm @ 1200-1600 rpm                                                         | 825 Nm @ 1200-1600 rpm                                                                         | 825 Nm @ 1200-1600 rpm                                                         |
| Gearbox             | ET90S6 (6 Forward, 1 Reverse)                                                  | ET90S6 (6 Forward, 1 Reverse)                                                                  | ZF 9S 1110, (9 Forward, 1 reverse)                                             |
| Chassis Type        | Joggled frame, 285x76x7 mm with 5 mm stiffener                                 | Joggled frame, 285x76x7 mm with 5 mm stiffener                                                 | Joggled frame, 285x76x7 mm with 5 mm stiffener                                 |
| Rear Axle           | Fully Floating Banjo type                                                      | Fully Floating Banjo type                                                                      | Fully Floating Banjo type                                                      |
| Brakes              | Service brake: Dual circuit full air<br>Parking brake: Pneumatic hand operated | Service brake: Dual circuit full air<br>Parking brake: Pneumatic hand operated                 | Service brake: Dual circuit full air<br>Parking brake: Pneumatic hand operated |
| Variants            | CWC- 24 ft/ 32 ft<br>CBC- 24 ft/ 31 ft<br>FBT- 24 ft                           | CWC- 24 ft/ 26 ft/ 28 ft/ 32 ft<br>CBC- 24 ft/ 26 ft/ 28 ft/ 31 ft<br>FBT- 24 ft/ 26 ft/ 28 ft | CWC- 28 ft/ 30 ft<br>CBC- 28 ft/ 30 ft<br>FBT- 28 ft                           |

Along with a completely new Pegasus front look styling across the product family, the new range of vehicles is a quantum leap in each and every aspect of exterior design, engine technology and cabin features.

HD SERIES



Eicher Pro **5016T**



Eicher Pro **6025T**




Eicher Pro **6025T FE**



Eicher Pro **6025T TM**

|                      |                                                                                                                                     |                                                                                                       |                                                                                                       |                                                                                                       |
|----------------------|-------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|
| Model                | Pro 5016T BSIV                                                                                                                      | Pro 6025T BS IV                                                                                       | Pro 6025T FE BS IV                                                                                    | Pro 6025T TM BS IV                                                                                    |
| Emission Technology  | i3 EGR                                                                                                                              | SCR                                                                                                   | SCR                                                                                                   | SCR                                                                                                   |
| GVW/ GCW (Kgs.)      | 16,200                                                                                                                              | 25000                                                                                                 | 25000                                                                                                 | 25000                                                                                                 |
| Wheelbase (mm)       | 3485                                                                                                                                | 4000                                                                                                  | 4000                                                                                                  | 4000                                                                                                  |
| Engine Model         | E694 5.7 liter with i3 EGR technology                                                                                               | VEDX8 BSIV 7.7 liter 4 valve 6 Cylinder CRS                                                           | VEDX5 BSIV 5.1 liter 4 valve 4 Cylinder CRS                                                           | VEDX5 BSIV 5.1 liter 4 valve 4 Cylinder CRS                                                           |
| Max. Power           | 170 HP @ 2400 rpm                                                                                                                   | 220 HP @ 2200 rpm                                                                                     | 210 HP@ 2200 rpm                                                                                      | 210 HP@ 2200 rpm                                                                                      |
| Max. Torque          | 620 Nm @ 1200-1900 rpm                                                                                                              | 850 Nm @ 1100-1700 rpm                                                                                | 825 Nm @ 1200-1600 rpm                                                                                | 825 Nm @ 1200-1600 rpm                                                                                |
| Gearbox              | ET70S6 (6 Forward, 1 Reverse)                                                                                                       | ZF9S1110 (9 Forward, 1 Reverse)                                                                       | ET90S6 (6 Forward, 1 Reverse)                                                                         | ET90S6 (6 Forward, 1 Reverse)                                                                         |
| Chassis Type         | "C" Channel ladder type frame, 285x76x6 mm                                                                                          | "C" Channel ladder type frame, 285x76x7 mm with 6 mm stiffner                                         | "C" Channel ladder type frame, 285x76x7 mm with 5 mm stiffner                                         | "C" Channel ladder type frame, 285x76x7 mm with 5 mm stiffner                                         |
| Brakes               | Service Brake: Dual circuit full air "S" cam<br>Parking Brake: Full air hand operated on rear wheels                                | Service Brake: Dual circuit full air "S" cam<br>Parking Brake: Pneumatic hand operated on rear wheels | Service Brake: Dual circuit full air "S" cam<br>Parking Brake: Pneumatic hand operated on rear wheels | Service Brake: Dual circuit full air "S" cam<br>Parking Brake: Pneumatic hand operated on rear wheels |
| Front Suspension     | Front: Semi elliptic laminated leaf spring with shock absorber<br>Rear: Semi elliptic laminated leaf spring with helper leaf spring | Front: Parabolic leaf springs<br>Rear: Bogie suspension inverted U bolts                              | Front: Parabolic leaf springs<br>Rear: Semi elliptic multi leaf spring                                | Front: Parabolic leaf springs<br>Rear: Semi elliptic multi leaf spring                                |
| Gradeability         | 35. 0%                                                                                                                              | 42.5% (crawler gear)                                                                                  | 28.6%                                                                                                 | 25.7% with PTO; 28.6% W/O PTO                                                                         |
| Fuel Tank            | 220L                                                                                                                                | 220L                                                                                                  | 220L                                                                                                  | 220L                                                                                                  |
| Variants (Body Size) | CBC & FBT-8.5 CuM, 10 CuM Box                                                                                                       | 14 CuM, 16 CuM Box; 14 CuM Rock                                                                       | 14 CuM Box                                                                                            | 6-7 CuM                                                                                               |

# EICHER NETWORK



- 152 Authorized Dealerships.
- 270 Workshops with Trained Manpower.
- 120 Eicher Genuine Parts Shoppe.
- 2500 Retailers.



Eicher has an extensive service reach and no matter where you are, Eicher service is never too far away. Eicher has wide and expanding authorized contact points across the country with professionally trained dealership service teams ensuring your vehicle is in safe hands. Eicher dealers are equipped with mobile service vans and 24x7 helpline numbers to ensure quick response. What's more, Eicher genuine parts made to exact specifications are economical and widely available across Eicher dealers, service centres, spare distributors and other outlets.