



- ✓ *Eurolifter weighing hand pallet truck: rock-bottom price for top quality!*
- ✓ *2-year warranty on the pump!*

NEW



Display in increments of 1 kg



REF 121TA1376

Eurolifter weighing hand pallet truck

- ✓ Precision: 0,1%
- ✓ Batteries included
- ✓ IP 65 protection
- ✓ Gross, net, tare weighing

REF	Dimensions (mm)	Lifting capacity (kg)	Steering wheels	Fork wheels	Number of weighing sensors
121TA1376	1150 x 555	2000	Polyurethane	Tandem polyurethane	4



- ✓ *Ideal for internal use*
- ✓ *Your money's worth!*

REF 108TA8536

Pramac Lifter
Standard weighing hand pallet truck
PX2000



REF 108TA8534

Pramac Lifter
Weighing hand pallet truck GS/P

- ✓ Available with or without a printer
- ✓ Function
 - tare input
 - counting function

Stainless steel



REF 119TA8563

Pramac Lifter
Weighing hand pallet truck GS/P
Stainless steel

- ✓ Functions
 - tare input
 - counting function

For use in humid environments!

REF	108TA8536	108TA8534	108TA8535	119TA8563	119TA8564
MODEL	PX2000	GS/P 25S4	GS/P 25S4 printer	GSP 25 Stainl. steel	GSP 25 Stainl. steel printer
LIFTING CAPACITY (KG)	2000	2500	2500	2500	2500
FORK WHEELS - N°/*	Tandem polyurethane	Tandem polyurethane	Tandem polyurethane	Tandem polyurethane	Tandem polyurethane
FORK LENGTH (MM)	1140	1180	1180	1180	1180
WIDTH (MM)	555	555	555	555	555
MIN./MAX. HEIGHT (MM)	90/205	90/205	90/205	90/205	90/205
WEIGHT (KG)	124	132	132	132	132
ACCURACY (KG)	1	0.5	0.5	0.5	0.5
DURATION OF CHARGE H.	30	50	50	50	50
NUMBER OF WEIGHING SENSORS	3	4	4	4	4
PRINTER	No	No	Yes	No	Yes

For any application!

REF 107TA8223

Weighing system fitted on BT pallet truck

✓Functions:

- gross, net and tare weighing
- counting function
- counter memory
- free tare input

Clear display

REF 107TA8225

Scale with printer (print out date and time)

✓LCD display at ergonomic height

✓Functions:

- gross, net and tare weighing
- counting function
- counter memory
- free tare input

Single fork wheels in nylon

Steering wheels in nylon

- ✓ *Advanced scales for any application*
- ✓ *Fitted to BT hand pallet truck*
- ✓ *IP64 protection rating against dust and dirt*


REF 107TA8227

Calibrated version for commercial use

- ✓Weigh up to 1500 kg
- ✓Free input of tare with keys and cursor

REF	107TA8223	107TA8224	107TA8225	107TA8226	107TA8227
TYPE	Standard: basic scale	Plus: display on ergonomic height	Plus: with printer	Numeric keyboard memory: 4x50 numeric characters	Calibrated version
LIFTING CAPACITY (KG)	2000	2000	2000	2000	2000
STEERING WHEELS	Nylon	Nylon	Nylon	Nylon	Nylon
FORK WHEELS	Nylon single	Nylon single	Nylon single	Nylon single	Nylon single
DISPLAY (KG)	0.1 - 0.2 and 0.5	0.1 - 0.2 and 0.5	0.1 - 0.2 and 0.5	0.1 - 0.2 and 0.5	per 1 kg
FORK LENGTH	1150 mm	1150 mm	1150 mm	1150 mm	1150 mm
WIDTH (MM)	540	540	540	540	540
MIN. HEIGHT (MM)	85	85	85	85	85
DURATION OF CHARGE H.	20	20	20	20	20
NUMBER OF SENSORS	4	4	4	4	4
PRINTER	No	No (option)	Yes	No (option)	No (option)
CALIBRATED	No	No	No	No (option)	Yes

STU-champ



✓ *Easy to use*


REF 111TA9241

Basic pallet scale

- ✓ For pallets 800 to 1000 mm wide
- ✓ Low construction height: 75 mm
- ✓ 4 weighing sensors
- ✓ IP-64 protected: against dust and dirt
- ✓ Large model: steel with coat of epoxy paint

REF	Capacity (kg)	Display (mm)	Accuracy (%)	Max load (%)	Temperature (°C)	Power supply	Dim. (mm)	Weight (kg)
111TA9241	2000	per 0.5	± 0.05% (of the measured weight)	200	-10° tot +40°C	230 VAC via standard adaptor	1200x 1030x75	35

STU-norm and Agrinorm!



Indicator:


- Gross, net, tare weighing
- Manual tare input via cursor keys and keystroke
- Unit position (only norm version)
- Incrementation and switch point (only Agrinorm)
- IP-65 aluminium casing
- 25 mm LCD read-out

REF 107TA8228

Specialist pallet scale


- ✓ Agrinorm has a switch contact (24 VDC/50 m²) that can be connected, for example to a conveyor belt e.g. automatic filling of box
- ✓ Option:
 - Calibrated model
 - Tripod
 - Printer with date and time stamp

REF	Capacity (kg)	Display (mm)	Accuracy (%)	Max load (%)	Temperature (°C)	Power supply	Dim. (mm)	Weight (kg)
107TA8228	2000	per 0.5	± 0.05% (of the measured weight)	200	-10° to +40°C	230 VAC via standard adaptor	1200x 1030x75	35

STB-norm✓ *Easy to use!*✓ *Easy to move!***For weighing
very
large loads!****REF 107TA8229****STB pallet scale**

- ✓ Functions: - Manual tare input
- Unit position via reference
- ✓ Choice of installation
- ✓ No need to secure the bars to the ground

REF	Weighing range (kg)	Display (kg)	Accuracy to measured weight (%)	Dimensions	Cable
107TA8229	0 - 2000 kg	per 0.5 kg	± 0.05%	1200x100x75 per bar	2x3 metres

EVERLASTING!✓ *Available in Champ
and Norm version!***REF 111TA9242****Floor scale**

- ✓ Available with capacity 1000, 2000 or 3000 kg
- ✓ Weighing sensors protected against dust and dirt: IP-64
- ✓ Norm: IP-65 protected against water splashes



REF	Capacity (kg)	Display	Accuracy (%)	Finish	Dimensions (mm)	Options
111TA9242 Champ	1000	per 0.2 kg	± 0.05	Epoxy	1250x1250x80	• Ramp • Stainless steel model • IP-67 Dust + waterproof
111TA9243 Champ	2000	per 0.5 kg	± 0.05	Epoxy	1250x1250x80	
111TA9244 Champ	3000	per 1 kg	± 0.05	Epoxy	1250x1250x80	
111TA9245 Norm	1000	per 0.2 kg	± 0.05	Epoxy	1250x1250x80	
111TA9246 Norm	2000	per 0.5 kg	± 0.05	Epoxy	1250x1250x80	
111TA9247 Norm	3000	per 1kg	± 0,05	Epoxy	1250x1250x80	

Compact scale
with large
LCD display!



REF 111TA9248

Post and parcel scales

- ✓ 3 AA alkaline batteries supplied!
- ✓ Option: 230 VAC adaptor

✓ Scales for any purpose!



REF 107TA8230

Portable scales

Steel handle
and protection!



Stainless
steel



IP65 protection works in 10
to 95% humidity

REF 111TA9258

Stainless steel industrial scales

- ✓ Functions:
 - Unit position
 - Dynamic weighing (e.g. animals)
- ✓ Option:
 - Tripod for indicator
 - Model can be calibrated

With built-in
charger!



Stainless steel platform

REF 111TA9281

Multi-purpose scales

- ✓ Supplied with batteries, duration of charge 70 hours!
- ✓ Option: Grid adaptor

REF	Capacity (kg)	Display (g)	Calibrated (g)	Dimensions (mm)
Post and parcel scales				
111TA9248	0.2	0.1	n/a	146x133
111TA9249	2	1	n/a	146x133
111TA9250	5	2	n/a	146x133
Portable scales				
107TA8230	114	500	n/a	320x270
Stainless steel industrial scales				
111TA9258	10	1	5	300x300
111TA9259	25	2	10	300x300
111TA9260	50	5	20	450x450
111TA9261	100	10	50	450x450
111TA9262	250	20	100	600x600
Multi-purpose scales				
111TA9281	60	5	n/a	425x225
111TA9282	120	10	n/a	425x225
111TA9283	300	20	n/a	425x225



- ✓ *Industrial desktop scales!*
- ✓ *Easy to use!*

REF 111TA9251

Industrial desktop scales

- ✓ IP-64 protection rating!
- ✓ Operates at temperatures from -10 °C to +40 °C!
- ✓ Functions: • gross, net and tare weighing
• tare input via keystroke
- ✓ Battery life: 100 to 250 hours
- ✓ Option: • protective cover
• rechargeable batteries

REF	Capacity (kg)	Display (g)	Calibrated (g)	Dimensions (mm)	Weight (kg)
111TA9251	15	1	5	305x355	11
111TA9252	30	2	10	305x355	11
111TA9253	60	5	20	305x355	11
111TA9254	60	5	20	400x500	20
111TA9288	100	10	-	400x500	20
111TA9256	150	10	50	420x550	25
111TA9257	300	20	100	420x550	25



REF 111TA9277

Desktop counting scales

- ✓ 3 LCD displays
- ✓ Numeric keypad
- ✓ Supplied with built-in battery (complete with charging cable)

REF	Capacity (kg)	Display (g)	Dimensions (mm)
111TA9277	3	0.1	300x225
111TA9278	6	0.2	300x225
111TA9279	15	0.5	300x225
111TA9280	30	1	300x225

✓ *Lift to an ergonomic working height!*

REF 116TA5893



Eurolifter Scissor hand pallet truck

- ✓ With rapid lift pump for lifting while unloaded
- ✓ Single lift piston: prevents leaks
- ✓ 1-year warranty on hydraulic pump



With quick lift pump!



REF 107TA8254

Pramac Lifter-Scissor hand pallet truck HX 10 Manual

- ✓ European quality product
- ✓ 1-year warranty on hydraulic pump



Option: extra supports on fork wheels



REF	116TA5893	107TA8254	108TA8487
MODEL	Eurolifter	HX 10M	HX 10M
LIFTING CAPACITY (KG)	1000	1000	1000
FORK WHEELS	nylon single	polyurethane single	polyurethane single
STEERING WHEELS	nylon	polyurethane	polyurethane
FORK LENGTH (MM)	1150	1150	1150
WIDTH (MM)	540	540	680
MIN. HEIGH(FROM THE GROUND) (MM)	85	85	85
WEIGHT (KG)	105	104	120
MAX. LIFTING HEIGHT (MM)	800	800	800



- ✓ 1-year warranty on spare parts
- ✓ European quality product

REF 107TA8253

Pramac Lifter
Scissor hand pallet truck
HX 10 Electric



Option: weighing function



Option: automatic operation
with photo-electric cell

Steel cover for
better protection!

REF	107TA8253	108TA8488
MODEL	HX 10E	HX 10E
LIFTING CAPACITY (KG)	1000	1000
FORK WHEELS	single vulkollan	single vulkollan
STEERING WHEELS	vulkollan	vulkollan
FORK LENGTH (MM)	1150	1150
WIDTH (MM)	540	680
MIN. HEIGHT (FROM THE GROUND) (MM)	85	85
WEIGHT (KG)	141	160
BATTERY (V/AH)	12/60	12/60
CHARGER (V/A)	12/10	12/10
MAX. LIFTING HEIGHT (MM)	800	800



Stainless steel

REF 107TA8255

Manual scissor hand pallet truck

REF 108TA8489

Manual stainless steel scissor hand pallet truck

Ideal for the food industry!



Extra stability

- ✓ *Manual and electric scissor hand pallet truck in steel or stainless steel*
- ✓ *European quality product*



REF 107TA8256

Electric scissor hand pallet truck

REF 108TA8490

Scissor hand pallet truck in stainless steel



Stainless steel

Ideal for the food industry!

Electric-hydraulic pump

Extra stability

Extra stability

REF	108TA8489	107TA8255	107TA8256	108TA8490
LIFTING CAPACITY (KG)	1000	1000	1000	1000
FORK LENGTH (MM)	1200	1200	1200	1200
WIDTH (MM)	560	560	560	560
LIFTING HEIGHT (MM)	800	800	800	800
MIN. HEIGHT OF FORKS (MM)	90	90	90	90
STEERING WHEELS	Polyurethane	Polyurethane	Polyurethane	Polyurethane
FORK WHEELS	Nylon only	Nylon only	Nylon only	Nylon only
LIFTING SPEED (MM/STROKE)	28 mm up to 100 kg 14 mm over 100 kg	28 mm up to 100 kg 14 mm over 100 kg	n/a	n/a
LIFTING SPEED (MM/S)	n/a	n/a	0.05	0.05
BATTERY	n/a	n/a	12 V 50 Ah/5 h	12 V 50 Ah/5 h
CHARGER	n/a	n/a	12 V/10 A	12 V/10 A
WEIGHT (KG)	122	122	155	155